The rock angus



SPRING BULL SALE

WEDNESDAY 3RD SEPTEMBER, 2025 at 12pm





THE ROCK ANGUS

9th Annual Spring Bull Sale

21 HBR ANGUS BULLS

Sale commences at 12 pm on property "Elouera" 5082 Olympic Hwy, The Rock, NSW Inspections from 10 am

James & Karen Masson

James 0410 488 566 | Karen 0414 629 202

www.therockangus.com

Email: info@therockangus.com

SELLING AGENTS



Tim Woodham 0436 015 115

Ken Miall 0427 135 974

Peter Cabot 0418 601 695



PLEASE BRING THIS CATALOGUE TO THE SALE

DISCLAIMER: Every care has been taken by The Rock Angus in the preparation, proofing and production of this catalogue to ensure the accuracy of information supplied. Neither The Rock Angus nor the selling agents or representative(s) thereof assume any responsibilty for any errors which may have occurred.

GOING FURTHER FOR LIVESTOCK

Nutrien Ag Solutions has the expertise and resources to take your livestock business further.

Visit our Wagga Wagga branch today or discover more online at NutrienAgSolutions.com.au/Livestock

Livestock	Peter Cabot	0418 601 695
Livestock	Jarrod Slattery	0428 695 700
Livestock	James Croker	0427 753 533
Livestock	Hamish McGeoch	0467 715 232
Livestock	Ken Miall	0427 135 974
Livestock	Jaiden Burke	0407 666 768
Branch Manager	Peter Dorsett	0427 953 979
Livestock Stud Specialist	Rick Power	0437 131 925
Livestock Stud Specialist	Tim Woodham	0436 015 115
Insurance Manager	Fiona Petersen	0408 924 508






We would like to extend our warmest welcome to you to our 9th annual on-farm spring sale.

2025 has been a challenging year for the Riverina with an unseasonally dry autumn and winter. The Wagga cattle sales saw record yardings, week after week, as female cattle were sold off. Many producers retained their heifers and to this end, the majority of bulls that we are offering this year are well-suited to heifer joinings. Fortunately, more recent substantial rain has provided promise for a good spring.

The Angus Breeding Index (\$A) and Angus Breeding Low Feed Cost Index (\$A-L) identify animals that will improve overall net profitability in the majority of commercial, self replacing, grass and grain finishing beef production systems. 60% of the bulls on offer are within the top 10% of the breed for these indices.

We are offering the first sons of Landfall Summit this year. We purchased Summit at the Landfall 2023 autumn sale and have used him extensively. We have also had unsolicited reports from other producers about the quality of his calves. He excels in calving ease, carcase quality and structural soundness.

We would like to take this opportunity to thank our family, friends and valued clients for their continued support. Please get in touch if you have any questions about the bulls. We are looking forward to catching up on Wednesday 3rd September. Bulls will be penned for viewing by 10 am and refreshments will be available.



BUYERS' INFORMATION

INSPECTION

Lots catalogued will be available for inspection from 10 am on sale day, Wednesday 3rd September.

STOCK HEALTH

All bulls have been tested as non-carriers for BVDV and have been vaccinated twice with Pestigard, Ultravac 7 in 1 and Vibrovax. A breeding structural soundness examination was conducted by Seumas McKillop from The Holbrook Vet Centre. This included palpation of the testicles and penis and measurement of testicular circumference. Structural assessment of the bulls was undertaken by Liam Cardile. This data has been incorporated into structural EBVs for each animal.

GUARANTEE

The Rock Angus 1 year guarantee.

All bulls have been assessed for structural soundness and evaluated for fertility. To the best of our knowledge, the bulls offered are in sound, working order as at the time of sale. During the next 12 months, if a bull breaks down due to reasons other than illness, injury or disease contracted after leaving The Rock Angus, we will:

- 1. Look to provide a mutually agreed upon replacement as quickly as practicable, or if a replacement is not possible;
- 2. We will issue a refund equal to the purchase price minus any salvage value. In some cases, a veterinary report may be requested. The guarantee is for the value of the bull, without interest, costs or damages. It is important to understand that normal care and good husbandry practices must be observed as replacement or a credit is not available if a bull is simply injured or dies for any other reason. As such, we strongly recommend you insure your bull/s against injury or death.

INSURANCE

A Nutrien insurance agent will be present on sale day.

OFFSITE BIDDING

All lots will sell through the sale ring under normal auction conditions. The sale will be interfaced with AuctionsPlus. Please register prior to the sale if you wish to bid online. Full phone coverage is available at the sale shed.

Please contact **Ken Miall** on **0427 135 974** at least 24 hours prior to the sale if you are unable to attend in person and wish to register to bid.



SALE REBATES

Outside agents who are accompanying a purchaser to the sale and settle within 7 days are entitled to a 3% rebate.

Outside agents who introduce their clients prior to the sale but do not attend the sale themselves and settle within 7 days are entitled to a 1% rebate.

To qualify for a rebate, the agent must register with The Rock Angus or Nutrien in writing or by e-mail no later than 24 hours before the sale.

HOSPITALITY

Light refreshments and lunch will be provided. Portable toilets will be available near the sale ring.

For accessible facilities, please enquire at the hospitality tent.

TRANSPORT

Local and interstate carriers will be in attendance at the sale. Free delivery will be provided within a 100 km radius.



SALE DAY SAFETY

All the sale bulls have been screened for temperament and are quiet to handle under normal circumstances. However, there are inherent risks associated with cattle handling.

People entering the yards are at risk of injury. Be especially alert for bulls fighting. We do not expect the bulls to be aggressive, but sale day conditions place unfamiliar pressures on them.

Do not crowd the bulls or loiter inside the pens.

Do not enter the pens unnecessarily.

Please note that the sale pens have a stand-off electric hot wire.

Visitors enter the cattle pens at their own risk.

Children under 16 years must not enter the yards.

BULL MANAGEMENT

At The Rock Angus, all calves are weighed on the day they are born on a Gallagher Tsi2 digital weigh scale. A visual tag is inserted in the left ear and an EID NLIS tag is inserted in the right ear. An ear TSU is taken for DNA parental verification, genomically-enhanced EBVs and PI testing. They are weighed again at 200, 400 days and 600 days of age.

At 400 days, the bulls are ultrasound scanned by Liam Cardile for rib, rump and intramuscular fat and eye muscle area. Scrotal circumference is measured and recorded. A structural assessment is also performed. All data is submitted to Angus Breedplan.

Prior to sale, all bulls are freeze branded with TR on their left rump.

All bulls are DNA tested, which increases the accuracy of pedigree EBVs. The test also includes parental verification which is the only way the buyer can be guaranteed of the animal's pedigree.


Our bulls have been raised on pasture and hay. They are used to being moved by motorbikes, quad bikes and on foot. They have not been exposed to dogs or horses. All fences on our property are electrified.


DISCLAIMER NOTE


Any person(s) entering the property known as "Elouera" for any purpose (including but not limited to the attendance of cattle sales and auctions) enters the property at his/her own risk. You release us to the full extent permitted by law and indemnify us from and against injury, loss or death suffered by you or any other person arising directly or indirectly from any cause at the property. You also release us to the full extent permitted by law and indemnify us from and against any theft, loss or damage of any kind to personal property sustained by you or any other persons arising directly or indirectly from any cause at the property. "We" or "us" refers to the Masson family, employees, contractors, Nutrien, and/or outside agents.





HOW TO USE THE BEEF CLASS STRUCTURAL ASSESSMENT SYSTEM














The Beef Class Structural Assessment System uses a 1-9 scoring system;

- A score of 5 is ideal.
- A score of 4 or 6 shows slight variation from ideal, but this includes most sound animals.
- An animal scoring 4 or 6 would be acceptable in any breeding program.
- A score of 3 or 7 shows greater variation but would be acceptable in most commercial programs.
 However, seedstock producers should be vigilant and understand that this score indicates greater variation from ideal.
- A score of 2 or 8 are low scoring animals and should be looked at cautiously and inspected very closely before purchasing.
- A score of 1 or 9 should not be catalogued and are considered immediate culls.



TransTasman Angus Cattle Evaluation - August 2025 Reference Tables

	Ø		
	Selection Indexes	\$A-L	+351
	Selection	\$A	+205
	0	Leg	+17 +2.2 -4.8 +68 +6.5 +0.0 -0.2 +0.4 +2.5 +0.23 +21 +0.83 +0.96 +1.01
	Structure	Angle	+0.96
	S	Claw	+0.83
	L	DOC	+21
	Other	NFI-F	+0.23
		IMF	+2.5
		SS DTC CWT EMA RIB P8 RBY IMF NFI-F DOC Claw Angle Leg	+0.4
	se	P8	-0.2
S	Carcase	RIB	+0.0
EBV		EMA	+6.5
RAGE		CWT	89+
BREED AVERAGE EBVS	Fertility	ртс	-4.8
REED	Fer		+2.2
m		Milk	+17
	ıal	МСН	+8.2
	Maternal	MBC	+0.28
		MCW	+102
		009	+120
	Growth	400	+93
		200	+52
	Birth	BW	+3.9
	n	GL	-4.5
	Calving Ease	CEDir CEDtrs GL BW 200 400 600 MCW MBC MCH	+3.0
	Calvin	CEDir	+2.2
			Brd Avg +2.2 +3.0 -4.5 +3.9 +52 +93 +120 +102 +0.28 +8.2

^{*} Breed average represents the average EBV of all 2023 drop Australian Angus and Angus-influenced seedstock animals analysed in the August 2025 TransTasman Angus Cattle Evaluation

	sax	Ţ	Profitability	99	53	13	20	33	36	62	73	37	3	35	61	13	99	53	7	12	2	7.	29	-	Profitability
	Selection Indexes	\$A-L	Greater	+459	+459	+413	+405	+393	+386	+379	+373	+367	+361	+355	+349	+343	+336	+329	+321	+312	+300	+284	+259	+205	Lower
	Select	\$A	Greater Profitability	+282	+261	+249	+241	+235	+229	+225	+220	+216	+211	+207	+203	+199	+194	+189	+183	+177	+169	+158	+141	+108	Lower Profitability
		Leg	Less Angular	+0.70	+0.80	+0.86	+0.88	+0.90	+0.94	+0.94	96.0+	+0.98	+1.00	+1.02	+1.02	+1.04	+1.06	+1.08	+1.10	+1.12	+1.14	+1.18	+1.22	+1.32	More Angular
	Structure	Angle	More Heel Depth	+0.60	+0.70	+0.76	+0.80	+0.82	+0.86	+0.88	+0.90	+0.92	+0.94	+0.96	+0.98	+1.00	+1.02	+1.04	+1.06	+1.10	+1.12	+1.18	+1.24	+1.38	Less Depth Depth
	S	Claw ,	Less Curl	+0.40	+0.52	+0.60	+0.64	+0.68	+0.70	+0.74	+0.76	+0.78	+0.80	+0.82	+0.86	+0.88	+0.90	+0.92	+0.96	+0.98	+1.02	+1.08	+1.16	+1.30	More Curl
	L	DOC	More Docile	+46	+38	+34	1 31	+29	+27	+56	+24	+23	+22	+21	+19	+18	+17	+16	+14	+13	÷	6+	45	Ŧ	Less
	Other	NFI-F	Greater Feed Efficiency	99.0-	-0.38	-0.24	-0.15	-0.08	-0.01	+0.04	+0.09	+0.14	+0.18	+0.23	+0.27	+0.32	+0.37	+0.42	+0.47	+0.54	+0.61	+0.71	+0.86	+1.16	Lower Feed Efficiency
		IMF	More	+6.2	+5.1	+4.5	4.	+3.8	+3.5	+3.2	+3.0	+2.8	+5.6	+5.4	+2.2	+5.0	41.8	+1.6	4.14	.	+0.9	+0.5	+ 0.0	-0.8	IWE Fess
		RBY	Higher Yield	+2.0	+1.5	+1.2	- :	6.0+	40.8	+0.7	9.0+	9.0+	+0.5	+0.4	+0.3	+0.2	1 0.1	0.0+	6.1	-0.2	-0.3	-0.5	9.0	5.	Lower
	sse	P8	More Fat	+5.5	+3.7	+2.8	+2.2	+1.7	+1.3	41.0	9.0+	+0.3	1 0.1	-0.2	-0.5	-0.8	-	4.1-	-1.7	-2.1	-2.6	-3.2	4. 1.	-5.9	Less Fat
3LE	Carcase	RIB	More Fat	44.4	+3.1	+2.3	+1.9	+1.5	+1.2	+0.9	+0.7	+0.4	+0.2	+0.0	-0.2	-0.4	9.0-	6.0-	-	1 .	-1.8	-2.2	-2.9	-4.3	Less Fat
STA		EMA	Гагдег ЕМА	+14.9	+12.2	+10.8	+9.9	+9.2	+8.6	+8.1	+7.7	+7.2	+6.8	+6.4	+6.0	+5.6	+5.2	+4.8	+4.3	+3.8	+3.1	+2.3	7	-1.5	Smaller EMA
BANDS TABLE		CWT	Heavier Carcase Meight	+102	+92	+86	+83	+80	+78	+76	+74	+72	+20	69+	+ 67	+65	+63	+61	+59	+57	+54	+51	+45	+34	Lighter Carcase Meight
TILE	Fertility	DTC	Shorter Time to Calving	-9.0	-7.7	-7.0	9.9-	-6.2	-5.9	-5.7	-5.4	-5.2	-5.0	4.8	-4.6	4.4	4.1	-3.9	-3.7	-3.4	-3.1	-2.6	-5.0	-0.7	Longer Time to Calving
PERCENTILE	Fe	SS	Larger Scrotal Size	+5.1	+4.1	+3.6	+3.3	+3.1	+2.9	+2.7	+2.6	+2.4	+2.3	+2.2	+2.0	+1.9	+1.8	+1.6	+1.5	+1.3	+	+0.8	+0.4	-0.4	Smaller Scrotal Size
PE		Milk	Heavier Live Weight	+30	+26	+24	+22	+21	+21	+20	+19	+18	+18	+17	+17	+16	+15	+15	+14	+13	+12	÷	6+	42	Lighter Live Weight
	rnal	MCH	Taller Mature Height	+13.3	+11.7	+10.9	+10.3	6.6+	9.6+	+9.3	+9.0	+8.7	+8.5	+8.2	+7.9	+7.7	+7.4	+7.1	+6.8	+6.4	+6.0	+5.5	+4.6	+2.7	Shorter Mature Height
	Maternal	MBC	More Body Condition	+0.64	+0.53	+0.47	+0.43	+0.40	+0.38	+0.36	+0.33	+0.32	+0.30	+0.28	+0.26	+0.24	+0.23	+0.21	+0.18	+0.16	+0.13	+0.09	+0.03	-0.07	Lower Body Condition
		MCW	Heavier Mature Weight	+167	+146	+135	+128	+123	+119	+115	+111	+108	+105	+102	66+	96+	+93	+89	+86	+81	+77	+70	09+	4	Lighter Mature Weight
		009	Heavier Live	+166	+151	+144	+139	+136	+132	+130	+127	+125	+123	+120	+118	+116	+114	+	+108	+105	+102	+97	06+	+75	Lighter Live Weight
	Growth	400	Heavier Live Weight	+126	+116	+ 111	+107	+104	+102	+100	+98	+97	+95	+93	+92	06+	8 8	+87	+85	+82	9	+76	+7	09+	Lighter Live Meight
		200	Heavier Live Weight	+72	99+	+63	9+	+29	+57	+26	+55	+54	+53	+52	+51	+20	+49	+47	+46	+45	+43	4	+38	+30	Lighter Live Weight
	Birth	BW	Lighter Birth Weight	-0.5	+0.9	+1.6	+2.1	+2.4	+2.7	+3.0	+3.2	+3.5	+3.7	+3.9	1 .4	+4.3	+4.6	+4.8	+5.1	+5.4	+5.7	+6.2	+6.9	+8.3	Heavier Birth Weight
		GL	Shorter Gestation Length	-10.4	-8.7	-7.7	-7.1	-6.6	-6.2	-5.8	-5.4	-5.1	-4.8	-4.5	-4.2	-3.9	-3.6	-3.2	-2.9	-2.5	-2.0	-1.4	-0.4	+1.6	Longer Gestation Length
	Calving Ease	CEDtrs	Less Calving Difficulty	+10.2	+8.6	+7.6	+6.9	+6.3	+5.8	+5.3	44.8	+4.3	+3.9	+3.4	+3.0	+2.5	41.9	+1.3	+0.7	-0.1	-1.0	-2.3	4.3	8.8	More Calving Difficulty
		CEDir	Less Calving Difficulty	+10.5	48.8	+7.7	+6.9	+6.2	+5.6	+5.0	+4.5	+3.9	+3.4	+2.9	+2.3	+1.7	1.	+0.4	-0.4	-1.3	-2.4	4.0	-6.5	-11.9	More Calving Difficulty
		% Band		1%	2%	10%	15%	20%	72%	30%	32%	40%	45%	20%	22%	%09	%59	%02	75%	%08	85%	%06	%56	%66	
																								_	

* The percentile band represents the distribution of EBVs across the 2023 drop Australian Angus and Angus-influenced seedstock animals analysed in the August 2025 TransTasman Angus Cattle Evaluation



	La S	SA-L \$417	\$429	\$415	\$438	\$414	\$436	\$383	\$466	\$477	\$448	\$435	\$459	\$383	\$413	\$418	\$385	\$407	\$392	\$408	\$455	\$461	\$A-L	+351
	electi	\$A \$	\$260 \$	\$253 \$	\$255	\$264	\$252	\$246 \$	\$292	\$ 908\$	\$294	\$254 \$	\$287 \$	\$247 \$	\$254 \$	\$242	\$232	\$239	\$249	\$255	\$286 \$	\$266 \$	\$A \$	+205 +
		+0.90 \$	+0.80	+0.92 \$	+0.94	+0.78 \$	+0.94	+0.88	+0.76 \$	+0.86	\$ 86.0+	+0.86	+0.86	+0.98	\$ 96.0+	+0.86	+0.90	+1.10 \$	+0.76	+0.68	+1.04	+0.78 \$	Leg	+1.02 +;
	Structural	Anole L +0.72 +0	+0.86 +0	+0.82 +0	+0.84 +0	+0.76 +0	+0.88 +0	+0.76 +0	+0.78 +0	+0.82 +0)+ 86.0+	+0.94 +0	+0.84 +0)+ 86.0+	+0.88 +0	+0.72 +0	+0.82 +0	+0.76 +1	+0.58 +0	+0.70 +0	+0.78 +1	7+ 89.0+	Angle	+0.96 +1
		Claw An +0.72 +0	+0.68 +0	+0.78 +0	+0.66 +0		+0.86 +0	+0.50 +0	+0.72 +0	+0.74 +0	+0.64 +0	+0.66 +0	+0.78 +0	+0.70 +0	+1.12 +0	+0.80 +0	+0.76 +0	+0.66 +0	0+ 09:0+	+0.76 +0	+0.60 +0	+0.42 +0	Claw An	+0.83 +0
						2 +0.50																		
	-	F Doc 75 +15	28 +16	98 +35	39 +35)3 +12	37 +24	3 +24	13 +36	117	11 +33	29 +28	96 +36	12 +16)5 +16	1 +29	34 +14	13 +28	95 +18	98 +24	98 +34	17 +19	-F Doc	23 +21
		NFIF 4 +0.75	0 +0.28	96.0+	98.0+ 9	9 +0.03	4 +0.37	2 -0.13) +0.21	3 -0.30	3 +0.41	4 +0.29	3 +0.56	4 +0.12	3 +1.05	7 -0.51	7 +0.34	9 -0.03	5 +0.95	8 +0.98	86 [.] 0+	9 -0.47	: NFI-F	5 +0.23
		1MF +2.4	+3.0	+5.0	+3.6	+0	+3.4	+4.2	+1.0	+3.6	+3.8	+2.4	, +2.3	+1.4	+4	+0.7	+2.7	+0	+5.5	+2	+6.0	0+	, IMF	+2.5
		RBY +0.9	+0.8	-0.9	+0.9	+1.9	+0.0	+1.1	+1.6	+0.7	+0.5	+1.1	+0.7	+0.7	-0.2	+0.8	+0.2	+0.8	+0.1	+0.2	-0.3	+0.8	RBY	+0.4
	ırcas	P8 +0.5	-2.4	+4.7	-1.3	+0.4	+0.0	-3.2	-3.1	+0.3	-0.4	-2.2	+2.2	9.0-	+2.0	+0.3	+3.0	+0.7	+1.6	+1.2	+2.8	-3.2	P8	-0.2
22		AB +1.3	+0.1	+3.8	-0.3	-1.5	+0.3	-0.8	-2.5	-0.2	+0.7	-1.4	+0.8	-0.2	+0.6	-0.7	+1.9	-0.3	+2.7	+0.3	+3.1	-2.4	RIB	+0.1
le 202		HMA +12.3	+10.0	+5.3	+13.8	+16.9	+9.4	+12.8	+12.4	+9.0	+12.6	+9.2	+11.2	+5.0	+10.0	+6.0	+9.3	+7.2	+10.7	+11.7	+11.5	+8.0	EMA	+6.5
EBV Quick Reference The Rock Sale 2025		CWT +62	+63	99+	+92	+82	66+	+54	+86	+73	09+	+64	+88	+77	+63	+87	+49	+76	+53	96+	9/+	+101	CWT	69+
The R	Fertility	910 -6.9	-6.7	-7.0	-5.6	-2.6	-5.0	-5.8	-7.1	-9.8	9.7-	-4.1	-6.7	-7.5	-6.9	-4.5	-6.8	-5.0	-6.3	-3.9	-8.4	-5.7	DTC	-4.8
rence	Fel	SS +2.6	+1.8	+4.3	+2.8	+0.3	+2.7	+2.8	+3.9	+4.5	+3.7	+1.9	+3.1	+4.2	+5.1	+2.5	+4.2	+4.4	+0.8	+4.4	+3.1	+2.1	SS	+2.2
k Refe		Milk +8	+19	+17	+12	+21	+21	+26	+25	+25	+24	+19	+23	+28	+23	+19	+27	+17	+20	+30	+29	+18	Milk	+17
/ Quic		MCH +6.0	+8.3	+8.8	+10.1	+5.7	+11.0	+7.8	+5.8	47.8	+8.2	+8.2	+5.4	+9.7	48.9	+6.2	+9.8	+6.2	+6.5	+5.3	+5.3	+7.0	MCH	+8.1
EB		MBC +0.32	+0.27	+0.42	+0.34	+0.20	+0.25	+0.25	+0.38	+0.12	+0.25	+0.25	+0.09	+0.04	+0.18	+0.35	+0.11	+0.46	+0.46	+0.11	+0.52	+0.23	MBC	+0.27
	Growth	MCW +84	+104	+81	+137	+90	+132	+73	+124	+93	+72	+124	+101	+58	+85	+124	+76	+110	69+	+80	+86	+143	MCW	+102
		600 +111	+135	+117	+141	+135	+156	+112	+154	+129	+129	+146	+138	+114	+118	+151	+110	+135	86+	+140	+121	+166	009	+120
		400 +94	+102	+91	+106	+107	+114	68+	+124	+103	+98	+118	+115	06+	+92	+115	+88	+111	+79	+104	+97	+128	400	+93
		200 +55	+26	+48	+61	+55	+63	+46	+74	09+	+55	+61	09+	+20	+52	+64	+42	+61	+41	+54	+48	+73	200	+52
		BWT +4.9	+1.4	+0.1	+3.9	+1.5	+4.6	+1.8	+7.0	+4.7	+2.3	+2.6	+1.8	+0.9	+1.4	+3.5	+0.3	+3.0	+0.2	+1.5	+1.3	+6.3	BWT	+3.9
		G I -3.6	-9.9	-9.3	-4.6	-6.4	-5.7	-5.3	-1.2	-5.2	-8.6	-2.8	9.0-	-7.1	-3.8	-2.3	-9.5	9.7-	-3.9	-5.3	-6.3	-5.4	GL GL	-4.5
	Calving Ease/Birth	CEDiris +4.0	+5.0	+9.1	+6.4	+6.7	+4.0	+2.6	-3.6	+6.0	9.7+	+6.1	+1.3	+6.3	+5.5	+2.8	+8.4	+1.5	+9.3	+10.9	9.9+	+8.5	CEDtrs	+3.0
		GEDir G +4.2 +	+0.6+	+ 0.6+	+1.1 +	+5.4 +	+4.6 +	+ 9.9+	+1.6	+3.2 +	+ 6.6+	+8.1	+7.4 +	+ 0.7+	+7.2 +	+6.2 +	+7.2 +	+ 0.5+	+ 8.6+	+7.4	+8.4	+2.4 +	CEDir C	+2.2
	Animal Ident	ATZ24V52	ATZ24V13	ATZ24V6	ATZ24V50	ATZ24V37	ATZ24V45	ATZ24V53	ATZ24V55	ATZ23U126	ATZ23U64	ATZ23U94	ATZ23U116	ATZ23U123	ATZ23U105	ATZ23U115	ATZ23U119	ATZ23U77	ATZ24V44	ATZ24V24	ATZ24V20	ATZ24V16	TACE Deline	TransTasman Angus Cattle Evaluation
	Ani	~	2	3	4	2	9	7	8	6	10	11	12	13 ,	14	15	16	17	18	19	20	21	Ĕ	Iranslasın

THE ROCK ANGUS

Top 10% Top 5%

THE ROCK REMBRANDT V52PV (HBR) (ET)

ATZ24V52

Genetic conditions: AMFU, CAFU, DDFU, NHFU

DOB: 25/01/2024

Purchaser:.....

DOB: 17/01/2024

EF COMMANDO 1366PV

SIRE: NMMR48 MILLAH MURRAH REMBRANDT R48PV

MILLAH MURRAH ABIGAIL N60PV

MILLAH MURRAH PARATROOPER P15PV

MILLAH MURRAH KINGDOM K35PV

MILLAH MURRAH ABIGAIL H150sv

MILLAH MURRAH ELA M9PV

GARPHOENIXPV GARPROPHET N744#

DAM: ATZR45 THE ROCK BLACKBIRD R45PV

GAR SURE FIRESV

PATHFINDER KOMPLETE K22sv THE ROCK BLACKBIRD P42PV THE ROCK K4PV

Selection Indexes \$A \$A-L \$266 \$417 9 4

TACE									Augus	st 2025	Trans	Tasmaı	n Angu	s Cattl	e Evalu	ation								
	CEDir	CEDtrs	GL	BW	200	400	600	MCW	MBC	МСН	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	DOC	Claw	Angle	Leg
EBVs	+4.2	+4.0	-3.6	+4.9	+55	+94	+111	+84	+0.32	+6.0	+8	+2.6	-6.9	+62	+12.3	+1.3	+0.5	+0.9	+2.4	+0.75	+15	+0.72	+0.72	+0.90
Acc	67%	58%	83%	83%	84%	82%	82%	79%	71%	75%	76%	80%	44%	71%	71%	71%	72%	63%	75%	63%	78%	78%	78%	74%
Perc	38	44	64	72	36	50	71	77	38	85	97	33	11	70	5	23	37	20	48	92	73	26	6	17

Traits Observed: BWT,200WT(x2),600WT,SC,Scan(EMA,Rib,Rump,IMF),Structure(Claw Set x 1, Foot Angle x 1),Genomics

Notes: The first of 4 flush brothers on offer out of Millah Murrah Rembrandt. Excellent carcase data with moderate mature cow weight.

			Struct	tural S	cores								
FC	C RC FA RA RS RH LM TP SN												
6	5	6	5	5	5	C+	1	5					

THE ROCK SPECIAL V13PV (HBR) (ET)

Genetic conditions: AMFU, CAFU, DDFU, NHFU

EF COMPLEMENT 8088PV

EF COMMANDO 1366PV

RIVERBEND YOUNG LUCY W1470#

GARPROPHETSV

CLUNES CROSSING DUSTY M13PV

CLUNES CROSSING GLORIOUS G1SV

SIRE: USA18229487 BALDRIDGE 38 SPECIALPV

STYLES UPGRADE J59# BALDRIDGE ISABEL Y69#

DAM: ATZ21S8 THE ROCK BLACKBIRD S8PV PATHFINDER KOMPLETE K22sv

CK BLACKBIRD P42PV

Selection Indexes \$A \$A-L \$260 \$429 6 6

ATZ24V13

TACE					W				Augus	202	Trans	sm	n An _Ł	s Cat		atio		VA						
Table 1	CEDir	CEDtrs	GL	₽W	200	400	600	MCW	мвс	мсн	IVITUK	SS	DTC	CW I	ЕМА	Rib	P8	RBY	MF	N. I-F	DOC	Claw	Angle	Leg
EBVs	+9.0	+5.0	-9.9	+1.4	+56	+102	+135	+104	+0.27	+8.3	+19	+1.8	-6.7	+63	+10.0	+0.1	-2.4	+0.8	+3.0	+0.28	+16	+0.68	+0.86	+0.80
Acc	72%	63%	83%	83%	84%	82%	83%	81%	76%	80%	78%	81%	50%	74%	73%	73%	74%	66%	77%	67%	79%	77%	74%	70%
Perc	5	33	2	8	31	27	22	47	51	49	33	62	13	67	15	47	83	24	34	56	70	20	25	5

Traits Observed: BWT,200WT(x2),600WT,SC,Scan(EMA,Rib,Rump,IMF),Structure(Claw Set x 1, Foot Angle x 1),Genomics

Notes: Low birth weight, excellent growth and strong carcase data. Ideal heifer bull.

			Struct	tural S	cores							
FC	RC FA RA RS RH LM TP SI											
6	5	6	5	5	6	C+	1	5				

Purchaser:.

THE ROCK REMBRANDT V6PV (HBR) (ET) 3

Selection Indexes

DOB: 15/01/2024

EF COMMANDO 1366PV

GARSURF FIRESV

MILLAH MURRAH PARATROOPER P15PV GARPHOENIXPV MILLAH MURRAH ELA M9PA GARPROPHET N744# Genetic conditions: AMFU, CAFU, DDFU, NHFU

SIRE: NMMR48 MILLAH MURRAH REMBRANDT R48PV

MILLAH MURRAH KINGDOM K35PV MILLAH MURRAH ABIGAIL N60PV

MILLAH MURRAH ARIGAIL H150SV

DAM: ATZR45 THE ROCK BLACKBIRD R45PV

PATHFINDER KOMPLETE K22SV THE ROCK BLACKBIRD P42PV THE BOCK K4PV

\$A	\$A-L
\$253	\$415
8	10

TACE									Augus	st 2025	Trans	Tasmaı	n Angu	s Cattl	e Evalu	ation								
	CEDir	CEDtrs	GL	BW	200	400	600	MCW	МВС	МСН	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	DOC	Claw	Angle	Leg
EBVs	+9.0	+9.1	-9.3	+0.1	+48	+91	+117	+81	+0.42	+8.8	+17	+4.3	-7.0	+66	+5.3	+3.8	+4.7	-0.9	+5.0	+0.98	+35	+0.78	+0.82	+0.92
Acc	67%	58%	83%	83%	84%	82%	83%	80%	71%	75%	76%	81%	44%	71%	71%	71%	72%	63%	75%	63%	78%	74%	74%	71%
Dorc	5	1	2	2	67	57	50	80	17	20	52	1	10	57	64	2	2	96	6	08	Q	20	10	21

Traits Observed: BWT,200WT,400WT,600WT,SC,Scan(EMA,Rib,Rump,IMF),Genomics

Notes: Ultra low birth weight. Top 10% IMF and positive fats. Ideal heifer bull.

			Struc	tural S	cores							
FC RC FA RA RS RH LM TP SN												
7	6	6	6	5	6	C+	1	5				

Purchaser:....



10

THE ROCK REMBRANDT V50PV (HBR) (ET)

ATZ24V50

DOB: 25/01/2024

Genetic conditions: AMFU, CAFU, DDFU, NHFU

EF COMMANDO 1366PV

MILLAH MURRAH PARATROOPER P15PV

MILLAH MURRAH KINGDOM K35PV

MILLAH MURRAH ABIGAIL H150sv

MILLAH MURRAH ELA M9PV

SIRE: NMMR48 MILLAH MURRAH REMBRANDT R48PV

MILLAH MURRAH ABIGAIL N60PV

GARPHOENIXPV GARPROPHET N744#

DAM: ATZR45 THE ROCK BLACKBIRD R45PV

GARSURE FIRESV

PATHFINDER KOMPLETE K22SV THE ROCK BLACKBIRD P42PV THE ROCK K4PV

Selection Indexes \$Α \$A-I \$255 \$438 8 4

TACE									Augus	st 2025	Trans	Tasmaı	n Angu	s Cattl	e Evalu	ation								
1	CEDir	CEDtrs	GL	BW	200	400	600	MCW	МВС	МСН	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	DOC	Claw	Angle	Leg
EBVs	+1.1	+6.4	-4.6	+3.9	+61	+106	+141	+137	+0.34	+10.1	+12	+2.8	-5.6	+92	+13.8	-0.3	-1.3	+0.9	+3.6	+0.89	+35	+0.66	+0.84	+0.94
Acc	68%	60%	83%	83%	84%	83%	83%	80%	71%	75%	77%	81%	45%	72%	72%	71%	72%	64%	75%	64%	79%	77%	73%	70%
Perc	65	19	48	49	15	17	13	9	33	18	85	27	31	6	2	56	68	20	23	96	8	17	21	25

Traits Observed: BWT,200WT(x2),600WT,SC,Scan(EMA,Rib,Rump,IMF),Structure(Claw Set x 1, Foot Angle x 1),Genomics

Notes: Excellent growth and phenomenal carcase data.

Structural Scores FC RC FΑ RA RS RH LM TP SN 6 5 6 5 5 C+ 5 5 1

Purchaser:.....

THE ROCK MOGUL V37PV (HBR) (ET)

ATZ24V37 Genetic conditions: AMFU, CAFU, DDFU, NHFU

DOB: 22/01/2024

KM BROKEN BOW 002PV SPRING COVE RENO 4021# SPRING COVE LIZA 021#

BALDRIDGE XPAND X743#

BALDRIDGE ISABEL Y69[±]

SIRE: USA19502726 PINE VIEW MOGUL G241PV

BALDRIDGE ISABEL C773#

GARASHLANDPV

GAREARLY BIRD#

CHAIR ROCK AMBUSH 1018# DAM: ATZ22T1 THE ROCK BLACKBIRD T1PV

PATHFINDER KOMPLETE K22SV THE ROCK BLACKBIRD P42PV THE ROCK K4PV

Selection	Indexes
\$A	\$A-L
\$264	\$414
4	10

TACE	August 2025 TransTasman Angus Cattle Evaluation																							
	CEDir	CEDtrs	GL	BW	200	400	600	MCW	MBC	МСН	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	DOC	Claw	Angle	Leg
EBVs	+5.4	+6.7	-6.4	+1.5	+55	+107	+135	+90	+0.20	+5.7	+21	+0.3	-2.6	+82	+16.9	-1.5	+0.4	+1.9	+0.9	+0.03	+12	+0.50	+0.76	+0.78
Acc	69%	58%	83%	83%	84%	82%	83%	79%	70%	74%	75%	81%	44%	72%	72%	71%	72%	63%	76%	65%	79%	71%	72%	68%
Dore	27	17	22	0	22	1 -	22	70	71	00	22	0.0	00	17	1	01	20	2	0.4	20	0.1		10	4

Traits Observed: BWT,200WT,600WT,SC,Scan(EMA,Rib,Rump,IMF),Genomics

Notes: Mogul stamps his structure on his progeny. Low birth weight, excellent growth and strong carcase data. Ideal heifer bull.

	Structural Scores									
FC	RC	FA	RA	RS	RH	LM	TP	SN		
6	6	6	6	5	5	C+	2	4		

6 THE ROCK REMBRANDT V45^{PV} (HBR) (ET)

ATZ24V45 Genetic conditions: AMFU, CAFU, DDFU, NHFU

\$A-L

4

DOB: 23/01/2024

EF COMMANDO 1366PV

GARSURE FIRESV

GARPHOENIXPV

MILLAH MURRAH PARATROOPER P15PV MILLAH MURRAH ELA M9PA

GARPROPHET N744# DAM: ATZR45 THE ROCK BLACKBIRD R45PV

\$A \$252

SIRE: NMMR48 MILLAH MURRAH REMBRANDT R48PV MILLAH MURRAH KINGDOM K35PV

MILLAH MURRAH ABIGAIL N60PV MILLAH MURRAH ABIGAIL H150sv

PATHFINDER KOMPLETE K22SV THE ROCK BLACKBIRD P42PV THE BOCK K4PV

					O	.,																		
TACE	August 2025 TransTasman Angus Cattle Evaluation																							
Total Control	CEDir	CEDtrs	GL	BW	200	400	600	MCW	МВС	МСН	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	DOC	Claw	Angle	Leg
EBVs	+4.6	+4.0	-5.7	+4.6	+63	+114	+156	+132	+0.25	+11.0	+21	+2.7	-5.0	+99	+9.4	+0.3	+0.0	+0.0	+3.4	+0.37	+24	+0.86	+0.88	+0.94
Acc	67%	59%	83%	83%	84%	82%	83%	80%	72%	76%	76%	81%	44%	71%	71%	71%	72%	63%	75%	63%	79%	77%	74%	70%
Perc	34	44	31	65	9	7	3	12	57	9	20	30	44	2	19	43	46	70	26	65	37	55	30	25

Traits Observed: BWT,200WT(x2),600WT,SC,Scan(EMA,Rib,Rump,IMF),Structure(Claw Set x 1, Foot Angle x 1),Genomics

Notes: Huge growth and excellent carcase data.

			Struct	tural S	cores			
FC	RC	FA	RA	RS	RH	LM	TP	SN
7	6	6	6	5	5	C+	1	5

Purchaser:..

Top 10%

THE ROCK SUMMIT V53PV (HBR) (AI)

ATZ24V53

DOB: 25/01/2024

HPCAINTENSITY#

RENNYLEA L519PV RENNYLEA H414SV

VARDISCOVERY 2240PV

LANDFALL ARCHER E179#

SIRE: TFA21S1944 LANDFALL SUMMIT S1944PV

LANDFALL ARCHER N829sv

TE MANIA BERKI EY B1PV AYRVALE GENERAL G18PV AYRVALE EASE E3PV

DAM: ATZQ42 THE ROCK BARUNAH Q42PV

WATTLETOP FRANKLIN G188 K23sv WATTLETOP BARUNAH M250PV

WATTLETOP BARUNAH K206PV

Selection	n Indexes
\$A	\$A-L
\$246	\$383
12	27

Genetic conditions: AMFU.CAFU.DDFU.NHFU

TACE									Augus	t 2025	Trans	Tasmaı	n Angu	s Cattl	e Evalu	ation								
1	CEDir	CEDtrs	GL	BW	200	400	600	MCW	МВС	МСН	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	DOC	Claw	Angle	Leg
EBVs	+6.6	+2.6	-5.3	+1.8	+46	+89	+112	+73	+0.25	+7.8	+26	+2.8	-5.8	+54	+12.8	-0.8	-3.2	+1.1	+4.2	-0.13	+24	+0.50	+0.76	+0.88
Acc	68%	60%	83%	83%	84%	82%	82%	80%	74%	78%	76%	80%	46%	72%	71%	71%	72%	62%	76%	65%	79%	71%	71%	63%
Perc	17	59	37	12	77	64	69	88	57	58	5	27	27	85	4	68	90	13	13	16	37	4	10	13

Traits Observed: GL,BWT,200WT(x2),600WT,SC,Scan(EMA,Rib,Rump,IMF),Structure(Claw Set x 1, Foot Angle x 1),Genomics

Notes: The first Summit son on offer. He breeds low birth weight progeny with plenty of EMA and IMF, standing on excellent feet.

			Struct	tural S	cores	;		
FC	RC	FA	RA	RS	RH	LM	TP	SN
6	6	6	6	4	5	С	2	5

THE ROCK COMPASS V55PV (HBR) (ET)

ATZ24V55

Genetic conditions: AMELICAFUDDEUNHELI

DOB: 09/02/2024

FECOMPLEMENT 8088PV

STYLES UPGRADE J59#

BALDRIDGE ISABEL T935#

EF COMMANDO 1366PV SIRE: USA18229488 BALDRIDGE COMPASS CO41sv

BALDRIDGE ISABEL Y69#

RIVERBEND YOUNG LUCY W1470#

GARSURE FIRESV

GARPHOENIXPV GARPROPHET N744#

DAM: ATZR51 THE ROCK BLACKBIRD R51PV

PATHFINDER KOMPLETE K22SV THE ROCK BLACKBIRD P42PV THE ROCK K4PV

Selection	indexes
\$A	\$A-L
\$292	\$466
1	1

Calaatian Indones

TACE	August 2025 TransTasman Angus Cattle Evaluation																							
1	CEDir	CEDtrs	GL	BW	200	400	600	MCW	МВС	МСН	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	DOC	Claw	Angle	Leg
EBVs	+1.6	-3.6	-1.2	+7.0	+74	+124	+154	+124	+0.38	+5.8	+25	+3.9	-7.1	+86	+12.4	-2.5	-3.1	+1.6	+1.0	+0.21	+36	+0.72	+0.78	+0.76
Acc	72%	64%	84%	83%	84%	83%	83%	81%	76%	80%	78%	81%	51%	74%	74%	73%	74%	67%	77%	67%	79%	74%	74%	70%
Perc	61	94	91	96	1	2	4	20	24	88	8	7	9	11	5	93	90	4	82	48	7	26	12	3

Traits Observed: BWT.200WT.400WT.SC.Scan(EMA.Rib.Rump.IMF).Genomics

Notes: A powerful cow bull with 200, 400 and 600D growth in the very top of the breed and carcase data and retail beef yield to match.

			Struct	tural S	cores			
FC	RC	FA	RA	RS	RH	LM	TP	SN
6	6	6	6	5	6	C+	1	5

Purchaser:.....

THE ROCK PHOENIX U126PV (HBR) (Natural)

ATZ23U126

DOB: 09/08/2023

GARSURE FIRESV

GARPHOENIXPV

GARPROPHET N744#

AYRVALE BARTEL E7PV THE ROCK BARTEL N20PV

THE ROCK L41PV DAM: ATZR70 THE ROCK BARA R70PV

CARABAR DOCKLANDS D62PV

THE ROCK K37PV

Selection	n Indexes
\$A	\$A-L
\$306	\$477
1	1

Genetic conditions: AMFU, CAFU, DDFU, NHFU

SIRE: ATZR44 THE ROCK PHOENIX R44 ^{PI}	′
---	---

PATHFINDER KOMPLETE K22sv THE ROCK BLACKBIRD P28PV

THE ROCK K4PV

KENNY'S CREEK BARA F768SV

TACE									Augus	st 2025	Trans	Tasma	n Angu	ıs Cattl	e Evalu	ation								
Total Control	CEDir	CEDtrs	GL	BW	200	400	600	MCW	МВС	мсн	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	DOC	Claw	Angle	Leg
EBVs	+3.2	+6.0	-5.2	+4.7	+60	+103	+129	+93	+0.12	+7.8	+25	+4.5	-9.8	+73	+9.0	-0.2	+0.3	+0.7	+3.6	-0.30	+17	+0.74	+0.82	+0.86
Acc	65%	56%	81%	81%	82%	80%	81%	78%	71%	75%	74%	78%	42%	70%	69%	69%	70%	60%	74%	62%	75%	73%	74%	69%
Dorc	47	22	20	67	10	25	22		96	EO	7	2	1	20	22		40	20	22	0	65	20	10	10

Traits Observed: BWT,200WT,400WT,600WT,SC,Scan(EMA,Rib,Rump,IMF),Structure(Claw Set x 1, Foot Angle x 1),Genomics

Notes: Very balanced data set with top 1% for 9 selection indices.

	Structural Scores									
FC	RC	FA	RA	RS	RH	LM	TP	SN		
6	6	6	6	5	5	C+	1	4		



10 THE ROCK SPECIAL U64PV (HBR) (ET)

ATZ23U64

DOB: 11/07/2023

EF COMPLEMENT 8088PV

EF COMMANDO 1366PV

RIVERBEND YOUNG LUCY W1470#

SIRE: USA18229487 BALDRIDGE 38 SPECIAL^{PV} STYLES UPGRADE J59*

BALDRIDGE ISABEL Y69#

BALDRIDGE ISABEL T935#

GAR PROPHETSV

CLUNES CROSSING DUSTY M13PV

CLUNES CROSSING GLORIOUS G1SV

DAM: ATZ21S8 THE ROCK BLACKBIRD S8PV

PATHFINDER KOMPLETE K22 SV THE ROCK BLACKBIRD P42 PV

THE ROCK K4PV

Selection	Indexes
\$A	\$A-L
\$294	\$448
1	2

Genetic conditions: AMELL CAELL DDELL NHEL

TACE									Augus	st 2025	Trans	Tasmaı	n Angu	s Cattl	e Evalu	ation								
200	CEDir	CEDtrs	GL	BW	200	400	600	MCW	MBC	МСН	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	DOC	Claw	Angle	Leg
EBVs	+9.9	+7.6	-8.6	+2.3	+55	+98	+129	+72	+0.25	+8.2	+24	+3.7	-7.6	+60	+12.6	+0.7	-0.4	+0.5	+3.8	+0.41	+33	+0.64	+0.98	+0.98
Acc	71%	63%	83%	83%	84%	82%	83%	81%	76%	80%	78%	81%	50%	74%	73%	73%	74%	66%	77%	67%	79%	78%	78%	74%
Perc	2	10	6	18	34	37	31	89	57	50	11	9	6	74	4	34	53	41	19	69	11	14	54	37

Traits Observed: BWT,200WT,400WT,600WT,SC,Scan(EMA,Rib,Rump,IMF),Structure(Claw Set x 1, Foot Angle x 1),Genomics

Notes: Low birth weight, strong growth and solid carcase data. Ideal heifer bull.

Structural Scores FC RC FΑ RA RS RHLM TP SN 6 6 6 7 5 5 C+ 5 1

Purchaser:...

1 THE ROCK JUSTICE U94PV (HBR) (ET)

ATZ23U94

Genetic conditions: AMFU, CAFU, DDFU, NHFU

DOB: 18/07/2023

CONNEALY JUDGMENT#
KG JUSTIFIED 3023PV
KG MISS MAGIC 1443#

SIRE: USA19836564 RL JUSTICEPV

BARSTOW CASH#
RL CASH LADY 8988#
RL MANDATE LADY 2981#

 $\begin{array}{c} \text{GARSURE FIRE}^{\text{SV}} \\ \text{GARPHOENIX}^{\text{PV}} \end{array}$

GARPROPHET N744#

DAM: ATZR45 THE ROCK BLACKBIRD R45PV

PATHFINDER KOMPLETE K22^S THE ROCK BLACKBIRD P42^{PV} THE ROCK K4^{PV}

Selection	n Indexes
\$A	\$A-L
\$254	\$435
8	4

TACE									Augus	st 2025	Trans	Tasma	n Angu	s Cattl	e Evalu	ation								
	CEDir	CEDtrs	GL	BW	200	400	600	MCW	МВС	МСН	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	DOC	Claw	Angle	Leg
EBVs	+8.1	+6.1	-2.8	+2.6	+61	+118	+146	+124	+0.25	+8.2	+19	+1.9	-4.1	+97	+9.2	-1.4	-2.2	+1.1	+2.4	+0.29	+28	+0.66	+0.94	+0.86
Acc	65%	55%	82%	82%	83%	81%	82%	78%	68%	72%	75%	79%	41%	71%	70%	70%	70%	62%	74%	61%	75%	78%	78%	70%
Perc	8	22	76	22	14	4	9	19	57	50	32	59	65	3	20	79	81	13	48	57	22	17	44	10

Traits Observed: BWT,200WT,400WT,600WT,SC,Scan(EMA,Rib,Rump,IMF),Structure(Claw Set x 1, Foot Angle x 1),Genomics

Notes: Explosive growth from a low birth weight. Solid carcase date. Ideal heifer bull.

			Struct	tural S	cores			
FC	RC	FA	RA	RS	RH	LM	TP	SN
6	6	7	7	5	5	C+	1	5

Purchaser:.....

12 THE ROCK JUSTICE U116^{PV} (HBR) (ET)

ATZ23U116

Genetic conditions: AMFU, CAFU, DDFU, NHFU

CONNEALY JUDGMENT#

RL CASH LADY 8988#

SIRE: USA19836564 RL JUSTICEPV

KG JUSTIFIED 3023PV

BARSTOW CASH#

KG MISS MAGIC 1443#

RL MANDATE LADY 2981#

G A R SURE FIRE^{SV}
G A R PHOENIX^{PV}
G A R PROPHET N744#

DAM: ATZR45 THE ROCK BLACKBIRD R45PV

PATHFINDER KOMPLETE K22^{SV}
THE ROCK BLACKBIRD P42^{PV}
THE ROCK K4^{PV}

Selection	Indexes
\$A	\$A-L
0007	4
\$287	\$459

TACE									Augus	st 2025	Trans	Tasmaı	n Angu	ıs Cattl	le Evalι	ation								
	CEDir	CEDtrs	GL	BW	200	400	600	MCW	МВС	МСН	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	DOC	Claw	Angle	Leg
EBVs	+7.4	+1.3	-0.6	+1.8	+60	+115	+138	+101	+0.09	+5.4	+23	+3.1	-6.7	+88	+11.2	+0.8	+2.2	+0.7	+2.3	+0.56	+36	+0.78	+0.84	+0.86
Acc	66%	55%	82%	82%	83%	82%	82%	79%	67%	72%	75%	79%	41%	71%	71%	70%	71%	62%	75%	61%	76%	78%	78%	69%
Perc	12	70	95	12	15	6	17	52	90	91	11	19	13	8	9	32	15	29	51	82	7	38	21	10

Traits Observed: BWT.200WT.400WT.600WT.SC.Scan(EMA.Rib.Rump.IMF).Structure(Claw Set x 1, Foot Angle x 1).Genomics

Notes: Flush brother to Lot 11. Same great growth from a very low birth weight. Strong carcase data and positive fats. Top 1% for 10 selection indices. Ideal heifer bull.

			Struct	tural S	cores			
FC	RC	FA	RA	RS	RH	LM	TP	SN
7	6	6	7	5	5	C+	1	4

Purchaser: \$

Top 10%

DOB: 27/07/2023

THE ROCK PHOENIX U123PV (HBR) (Natural) 13

ATZ23U123

DOB: 08/08/2023

GARSURE FIRESV

GARPHOENIXPV

THE ROCK BLACKBIRD P28PV

THE ROCK K4PV

SIRE: ATZR44 THE ROCK PHOENIX R44PV

GARPROPHET N744#

PATHEINDER KOMPLETE K22SV

BASIN FRANCHISE P142# EF COMPLEMENT 8088PV EF EVERELDA ENTENSE 6117#

DAM: ATZR36 THE ROCK VICTOREE R36PV

THE BOCK K13PV THE ROCK VICTOREE P62PV THE ROCK L41PV

Selection	Indexes
\$A	\$A-L
\$247	\$383
12	27

Genetic conditions: AMFU,CAFU,DDFU,N

TACE									Augus	st 2025	Trans	Tasmaı	n Angu	s Cattl	e Evalu	ation								
	CEDir	CEDtrs	GL	BW	200	400	600	MCW	MBC	МСН	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	DOC	Claw	Angle	Leg
EBVs	+7.0	+6.3	-7.1	+0.9	+50	+90	+114	+58	+0.04	+9.7	+28	+4.2	-7.5	+77	+5.0	-0.2	-0.6	+0.7	+1.4	+0.12	+16	+0.70	+0.98	+0.98
Acc	65%	57%	82%	81%	82%	80%	81%	78%	71%	76%	75%	78%	44%	70%	70%	69%	70%	61%	74%	63%	75%	73%	74%	69%
Perc	14	20	15	5	60	60	64	96	95	23	2	5	6	28	67	54	56	29	74	38	69	23	54	37

Traits Observed: BWT,200WT,400WT,600WT,SC,Scan(EMA,Rib,Rump,IMF),Structure(Claw Set x 1, Foot Angle x 1),Genomics

Notes: A very safe heifer bull sired by a home-grown Phoenix son with excellent structure.

Structural Scores FC RC FΑ RARS RHLM ΤP SN 6 4 6 6

THE ROCK TESTAMENT U105PV (HBR) (ET)

ATZ23U105

DOB: 21/07/2023

SSNIAGARA 729SV TEHAMA PATRIARCH F028PV TEHAMA ELITE BLACKBIRD D826#

SIRE: USA20019500 TEHAMA TESTAMENTSV

SITZ WISDOM 481T# TEHAMA MARY BLACKBIRD E789# TEHAMA MARY BLACKBIRD Y677th

GARSURF FIRESV **GARPHOENIX**PV GARPROPHET N744#

DAM: ATZR61 THE ROCK BLACKBIRD R61PV

PATHFINDER KOMPLETE K22^S THE ROCK BLACKBIRD P42PV THE ROCK K4PV

Selection	Indexes
\$A	\$A-L
\$254	\$413
8	10

Genetic conditions: AMFU.CAFU.DDFU.NHFU

TACE									Augus	t 2025	Trans	Tasmar	n Angu	s Cattl	e Evalu	ation								
	CEDir	CEDtrs	GL	BW	200	400	600	MCW	МВС	МСН	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	DOC	Claw	Angle	Leg
EBVs	+7.2	+5.5	-3.8	+1.4	+52	+92	+118	+85	+0.18	+8.9	+23	+5.1	-6.9	+63	+10.0	+0.6	+2.0	-0.2	+4.3	+1.05	+16	+1.12	+0.88	+0.96
Acc	69%	56%	83%	83%	84%	82%	83%	79%	68%	73%	75%	80%	42%	72%	72%	71%	72%	63%	75%	62%	79%	78%	78%	72%
Perc	13	28	61	8	48	56	55	76	75	37	13	1	11	67	15	36	17	79	12	99	70	93	30	31

Traits Observed: BWT.200WT.400WT.600WT.SC.Scan(EMA.Rib.Rump).Structure(Claw Set x 1, Foot Angle x 1).Genomics

Notes: A safe heifer bull with big EMA, IMF and positive fats.

			Struct	tural S	cores			
FC	RC	FA	RA	RS	RH	LM	TP	SN
7	6	6	6	5	5	C+	2	4

Purchaser:....

THE ROCK COMPASS U115PV (HBR) (ET) 15

Genetic conditions: AMFU,CAFU,DDFU,NHFU

DOB: 24/07/2023

EF COMPLEMENT 8088PV EF COMMANDO 1366PV

STYLES UPGRADE J59#

BALDRIDGE ISABEL T935#

BALDRIDGE ISABEL Y69#

RIVERBEND YOUNG LUCY W1470# SIRE: USA18229488 BALDRIDGE COMPASS CO41sv

GAR SURE FIRESV GARPHOENIXPV GARPROPHET N744#

DAM: ATZR51 THE ROCK BLACKBIRD R51PV

PATHFINDER KOMPLETE K22SV THE ROCK BLACKBIRD P42PV THE ROCK K4PV

Selection	Indexes
\$A	\$A-L
\$242	\$418
15	8

TACE									Augus	t 2025	Trans	Tasmaı	n Angu	s Cattl	e Evalu	ation								
	CEDir	CEDtrs	GL	BW	200	400	600	MCW	MBC	МСН	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	DOC	Claw	Angle	Leg
EBVs	+6.2	+2.8	-2.3	+3.5	+64	+115	+151	+124	+0.35	+6.2	+19	+2.5	-4.5	+87	+6.0	-0.7	+0.3	+0.8	+0.7	-0.51	+29	+0.80	+0.72	+0.86
Acc	72%	64%	83%	83%	84%	83%	83%	81%	76%	80%	78%	81%	51%	74%	74%	73%	74%	67%	77%	67%	79%	78%	78%	73%
Perc	20	57	82	40	8	6	6	20	31	84	35	36	56	9	55	66	40	24	87	3	20	42	6	10

Traits Observed: BWT,200WT,400WT,600WT,SC,Scan(EMA,Rib,Rump,IMF),Structure(Claw Set x 1, Foot Angle x 1),Genomics

Notes: Low birth weight with top 10% 200, 400 and 600D weights. A good option for heifers.

			Struc	tural S	cores			
FC	RC	FA	RA	RS	RH	LM	TP	SN
7	6	7	6	5	6	C+	1	3

Purchaser:...



THE ROCK PHOENIX U119PV (HBR) (Natural) 16

ATZ23U119

DOB: 31/07/2023

GAR SURE FIRESV

THE ROCK BLACKBIRD P28PV

THE ROCK K4PV

GARPHOENIXPV

SIRE: ATZR44 THE ROCK PHOENIX R44PV

GARPROPHET N744#

PATHFINDER KOMPLETE K22sv

STONEY POINT REALITY M911PV STONEY POINT DREAM F302PV

DAM: NLRQ102 REILAND WILHEMINA Q102SV

REILAND JEFFERSON J956PV REILAND WILHEMINA M298SV REILAND WILHEMINA J48#

MATAURI REALITY 839#

Selection	Indexes
\$A	\$A-L
\$232	\$385
23	26

Genetic conditions: AMFU, CAFU, DDFU, NH

TACE									Augus	t 2025	Trans	Tasmar	n Angu	s Cattl	e Evalu	ation								
	CEDir	CEDtrs	GL	BW	200	400	600	MCW	МВС	МСН	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	DOC	Claw	Angle	Leg
EBVs	+7.2	+8.4	-9.5	+0.3	+42	+88	+110	+76	+0.11	+9.8	+27	+4.2	-6.8	+49	+9.3	+1.9	+3.0	+0.2	+2.7	+0.34	+14	+0.76	+0.82	+0.90
Acc	65%	56%	82%	82%	83%	81%	81%	78%	69%	74%	75%	79%	42%	70%	70%	69%	71%	60%	74%	62%	76%	65%	65%	63%
Perc	13	6	3	3	87	67	73	86	88	22	4	5	12	93	20	14	9	59	41	62	78	34	18	17

Traits Observed: BWT,400WT(x2),600WT,SC,Scan(EMA,Rib,Rump,IMF),Genomics

Notes: Ultra low birth weight. Good carcase data. A safe heifer option.

Structural Scores FC RC SN FΑ RA RS RH LM TP 7 7 6 5 6 5 C+ 1 5

Purchaser:...

THE ROCK JUSTICE U77PV (HBR) (AI) 17

ATZ23U7

DOB: 15/07/2023

CONNEALY JUDGMENT# KG JUSTIFIED 3023PV KG MISS MAGIC 1443#

SIRE: USA19836564 RL JUSTICEPV

BARSTOW CASH# RL CASH LADY 8988# RL MANDATE LADY 2981#

AYRVALE GENERAL G18PV THE ROCK K13PV

THE ROCK H3PV DAM: ATZP62 THE ROCK VICTOREE P62PV

CHERYLTON STEWIE D19PV

THE ROCK I 41PV

IRELANDS PRINCESS E201#

Selection	Indexes
\$A	\$A-L
\$239	\$407
17	13

Genetic conditions: AMFU, CAFU, DDFU, NHFU

TACE									Augus	st 2025	Trans	Tasmar	n Angu	ıs Cattl	e Evalu	ation								
San San San	CEDir	CEDtrs	GL	BW	200	400	600	MCW	MBC	МСН	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	DOC	Claw	Angle	Leg
EBVs	+5.0	+1.5	-7.6	+3.0	+61	+111	+135	+110	+0.46	+6.2	+17	+4.4	-5.0	+76	+7.2	-0.3	+0.7	+0.8	+0.9	-0.03	+28	+0.66	+0.76	+1.10
Acc	64%	53%	82%	81%	82%	81%	81%	78%	67%	71%	74%	78%	39%	70%	69%	69%	69%	59%	74%	60%	74%	74%	75%	67%
Perc	30	69	11	29	13	10	21	38	11	84	54	4	44	29	40	56	34	24	84	24	24	17	10	73

Traits Observed: BWT,200WT,400WT,600WT,SC,Scan(EMA,Rib,Rump,IMF),Structure(Claw Set x 1, Foot Angle x 1),Genomics

Notes: Low birth weight with solid growth. A good heifer option.

			Struc	tural S	cores	;		
FC	RC	FA	RA	RS	RH	LM	TP	SN
6	7	6	7	6	5	C+	1	3

Purchaser:.....

THE ROCK SUMMIT V44PV (HBR) (AI)

ATZ24V44

HPCAINTENSITY#

DOB: 22/01/2024

RENNYLEA L519PV

RENNYLEA H414SV

EF COMMANDO 1366PV BALDRIDGE COMPASS C041SV

SIRE: TFA21S1944 LANDFALL SUMMIT S1944PV

VARDISCOVERY 2240PV LANDFALL ARCHER N829SV LANDFALL ARCHER E179#

DAM: ATZ21S12 THE ROCK QUEANBEYAN S12PV

GARMOMENTUMPV THE ROCK QUEANBEYAN Q7PV MURRAY WAVE J43PV

BALDRIDGE ISABEL Y69#

Selection	Indexes
\$A	\$A-L
\$249	\$392
10	21

Genetic conditions: AMFU, CAFU, DDFU, NHFU

TACE									Augus	st 2025	Trans	Tasma	n Angı	ıs Catt	le Evalι	ation								
	CEDir	CEDtrs	GL	BW	200	400	600	MCW	МВС	МСН	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	DOC	Claw	Angle	Leg
EBVs	+9.8	+9.3	-3.9	+0.2	+41	+79	+98	+69	+0.46	+6.5	+20	+0.8	-6.3	+53	+10.7	+2.7	+1.6	+0.1	+5.5	+0.95	+18	+0.60	+0.58	+0.76
Acc	67%	59%	83%	82%	83%	81%	82%	79%	74%	78%	75%	79%	45%	71%	70%	70%	71%	61%	75%	63%	78%	69%	72%	65%
Perc	3	3	60	3	91	87	89	91	11	80	28	90	19	87	11	7	21	64	3	97	61	10	1	3

 $\textbf{\textit{Traits Observed}:} BWT,\!200WT,\!600WT,\!SC,\!Scan(\!EMA,\!Rib,\!Rump,\!IMF),\!Structure(\!Claw\,Set\,x\,1\!,Foot\,Angle\,x\,1\!),\!Genomics$

Notes: This bull has the Summit stamp - very low birth weight, IMF in the top 5% of the breed, big EMA, positive fats and excellent structure. Ideal heifer bull.

			Struct	tural S	cores			
FC	RC	FA	RA	RS	RH	LM	TP	SN
6	5	5	5	4	5	C+	2	5

Purchaser:.....

Top 10%

THE ROCK QUINELLA V24PV (HBR) (ET)

ATZ24V24

DOB: 20/01/2024

CONNEALY IN SURE 8524#

GARFAIL SAFEPV SIRE: BWFQ33 MOOGENILLA QUINELLA Q33PV

MOOGENILLA N9SV

GARPROGRESS 830#

MOOGENILLA L4#

EF COMPLEMENT 8088PV

GARSURE FIRESV **GARPHOENIX**PV

GARPROPHET N744#

DAM: ATZR61 THE ROCK BLACKBIRD R61PV

PATHFINDER KOMPLETE K22SV

THE ROCK BLACKBIRD P42PV

THE ROCK K4PV

Selection	Indexes
\$A	\$A-L
\$255	\$408
8	12

Genetic conditions: AMFU, CAFU, DDFU, NHFU

TACE									Augus	t 2025	Trans	Tasmaı	n Angu	s Cattl	e Evalu	ation								
	CEDir	CEDtrs	GL	BW	200	400	600	MCW	МВС	МСН	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	DOC	Claw	Angle	Leg
EBVs	+7.4	+10.9	-5.3	+1.5	+54	+104	+140	+80	+0.11	+5.3	+30	+4.4	-3.9	+96	+11.7	+0.3	+1.2	+0.2	+2.8	+0.98	+24	+0.76	+0.70	+0.68
Acc	70%	61%	84%	84%	85%	83%	84%	81%	75%	79%	78%	82%	46%	74%	74%	73%	74%	66%	77%	68%	80%	77%	77%	72%
Perc	12	1	37	9	41	22	15	82	88	92	1	4	70	3	7	43	26	59	39	98	35	34	5	1

Traits Observed: BWT,200WT(x2),600WT,SC,Scan(EMA,Rib,Rump,IMF),Structure(Claw Set x 1, Foot Angle x 1),Genomics

Notes: Excellent growth from a very low birth weight. Great carcase data set. Ideal heifer bull.

FC RC FΑ RA RS RH LM TP SN 6 6 6 6 5 5 C+ 2 5

Purchaser:.....

THE ROCK SUMMIT V20PV (HBR) (ET) 20

ATZ24V20

Genetic conditions: AMFU, CAFU, DDFU, NHFU

DOB: 19/01/2024

HPCAINTENSITY# RENNYLEA L519PV

RENNYLEA H414SV

EF COMMANDO 1366PV

MILLAH MURRAH PARATROOPER P15PV

MILLAH MURRAH ELA M9PV

SIRE: TFA21S1944 LANDFALL SUMMIT S1944PV

VARDISCOVERY 2240P LANDFALL ARCHER N829sv LANDFALL ARCHER E179# DAM: ATZ22T12 THE ROCK BLACKBIRD T12PV

ARDROSSAN EQUATOR A241PA THE ROCK BLACKBIRD R8PV

THE ROCK BLACKBIRD N46PV

н	Selection	indexes
	\$A	\$A-L
	\$286	\$455
	1	2

TACE									Augus	t 2025	Trans	Tasmaı	n Angu	s Cattl	e Evalu	ation								
	CEDir	CEDtrs	GL	BW	200	400	600	MCW	МВС	МСН	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	DOC	Claw	Angle	Leg
EBVs	+8.4	+6.6	-6.3	+1.3	+48	+97	+121	+86	+0.52	+5.3	+29	+3.1	-8.4	+76	+11.5	+3.1	+2.8	-0.3	+6.0	+0.98	+34	+0.60	+0.78	+1.04
Acc	66%	58%	83%	82%	83%	81%	81%	78%	72%	77%	75%	78%	44%	70%	69%	69%	70%	60%	73%	62%	78%	74%	74%	70%
Perc	7	18	23	8	68	41	49	75	6	92	2	19	3	29	8	5	10	83	2	98	9	10	12	56

Traits Observed: BWT,200WT(x2),600WT,SC,Scan(EMA,Rib,Rump,IMF),Structure(Claw Set x 1, Foot Angle x 1),Genomics

Notes: It's Summit again with the highest IMF in the sale at +6.0. Hit the repeat button - very low birth weight, big EMA, positive fats and excellent structure. Ideal heifer bull.

			Struct	tural S	cores			
FC	RC	FA	RA	RS	RH	LM	TP	SN
6	6	6	6	6	6	C+	1	5

Purchaser:.....

THE ROCK MOGUL V16PV (HBR) (ET)

Genetic conditions: AMFU, CAFU, DDFU, NHFU

DOB: 18/01/2024

KM BROKEN BOW 002PV

SPRING COVE RENO 4021#

BALDRIDGE ISABEL C773#

SPRING COVE LIZA 021* SIRE: USA19502726 PINE VIEW MOGUL G241PV BALDRIDGE XPAND X743#

BALDRIDGE ISABEL Y69#

PATHFINDER GENESIS G357PV

PATHFINDER KOMPLETE K22SV PATHFINDER EQUATOR H756#

DAM: ATZP42 THE ROCK BLACKBIRD P42PV

AYRVALE GENERAL G18PV

THE ROCK K4PV

THE ROCK H26PV

Selection	Indexes
\$A	\$A-L
\$266	\$461
4	1

TACE									Augus	st 2025	Trans	Tasmaı	n Angu	s Cattl	e Evalu	ation								
	CEDir	CEDtrs	GL	BW	200	400	600	MCW	МВС	МСН	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	DOC	Claw	Angle	Leg
EBVs	+2.4	+8.5	-5.4	+6.3	+73	+128	+166	+143	+0.23	+7.0	+18	+2.1	-5.7	+101	+8.0	-2.4	-3.2	+0.8	+0.9	-0.47	+19	+0.42	+0.68	+0.78
Acc	68%	56%	83%	83%	84%	82%	83%	79%	69%	73%	75%	81%	44%	72%	72%	71%	72%	64%	75%	64%	79%	78%	78%	74%
Perc	54	6	35	91	1	1	1	6	63	73	40	51	29	2	31	92	90	24	84	4	58	2	4	4

Traits Observed: BWT,200WT(x2),600WT,SC,Scan(EMA,Rib,Rump,IMF),Structure(Claw Set x 1, Foot Angle x 1),Genomics

Notes: A powerful Mogul son with top 1% 200, 400 and 600D weights, top 2% carcase weight and top 25% retail beef yield. Get your calves to market weight early with this bull. Suitable for use over cows.

			Struct	tural S	cores	;		
FC	RC	FA	RA	RS	RH	LM	TP	SN
6	6	6	5	5	5	C+	1	5

Purchaser:....



16

Top 10%



LOT 2 THE ROCK SPECIAL (ATZ24V13)




LOT 10 THE ROCK SPECIAL (ATZ23U64)



LOT 15 THE ROCK COMPASS (ATZ23U115)



LOT 17 THE ROCK JUSTICE (ATZ23U77)



LOT 20 THE ROCK SUMMIT (ATZ24V20)



LOT 8 THE ROCK COMPASS (ATZ24V55)



LOT 13 THE ROCK PHOENIX (ATZ23U123)



LOT 16 THE ROCK PHOENIX (ATZ23U119)



LOT 19 THE ROCK QUINELLA (ATZ24V24)





2025 BULL SALE

REFERENCE SIRES

BALDRIDGE 38 SPECIALPV (HBR)

USA18229487

Mating Type: Natural **DOB:** 13/01/2015

> BASIN FRANCHISE P142# SITZ UPWARD 307RSV EF COMPLEMENT 8088PV STYLES UPGRADE J59# EF EVERELDA ENTENSE 6117# PLAINVIEW LASSIE 71B#

SIRE: USA17082311 EF COMMANDO 1366PV

B/R AMBUSH 28# RIVERBEND YOUNG LUCY W1470# RIVERBEND YOUNG LUCY T1080# DAM: USA17149410 BALDRIDGE ISABEL Y69#

BALDRIDGE KABOOM K243 KCF# BALDRIDGE ISABEL T935#

BALDRIDGE ISABEL P4527#



Genetic conditions: AMF, CAF, DDF, NHF, MAF, OSF, RGF

TACE									Augus	it 2025	Trans	Tasmaı	n Angu	s Cattl	e Evalı	ation								
	CEDir	CEDtrs	GL	BW	200	400	600	MCW	МВС	МСН	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	DOC	Claw	Angle	Leg
EBVs	+7.2	+5.5	-4.9	+2.6	+64	+108	+142	+108	+0.32	+8.5	+19	+2.6	-5.9	+76	+6.1	+1.4	-1.8	-0.3	+2.9	+0.51	+17	+0.60	+0.76	+0.90
Acc	95%	84%	99%	99%	99%	99%	98%	97%	93%	94%	97%	98%	72%	95%	93%	93%	93%	89%	92%	82%	99%	99%	99%	97%
Perc	13	28	43	22	9	14	12	41	38	44	33	33	25	29	54	21	76	83	37	78	66	10	10	17

Traits Observed: Genomics

Number of Herds: 143, Prog Analysed: 2750, Genomic Prog: 1814

Selection	Indexes
\$A	\$A-L
\$249	\$419
11	8

BALDRIDGE COMPASS CO41^{SV} (HBR)

USA18229488

Genetic conditions: AMF, CAF, DDF, NHF, MHF, OHF, OS

Mating Type: ET

SIRE: USA17082311 EF COMMANDO 1366PV

B/R AMBUSH 28#

RIVERBEND YOUNG LUCY W1470# RIVERBEND YOUNG LUCY T1080#

BASIN FRANCHISE P142# FECOMPLEMENT 8088PV

EF EVERELDA ENTENSE 6117#

STYLES UPGRADE J59# PLAINVIEW LASSIE 71B#

DAM: USA17149410 BALDRIDGE ISABEL Y69#

SITZ UPWARD 307RSV

BALDRIDGE KABOOM K243 KCF*

BALDRIDGE ISABEL T935# BALDRIDGE ISABEL P4527#



TACE									Augus	st 2025	Trans	Tasmaı	n Angu	ıs Cattl	e Evalu	ation								
	CEDir	CEDtrs	GL	BW	200	400	600	MCW	MBC	МСН	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	DOC	Claw	Angle	Leg
EBVs	+8.1	+6.0	-3.4	+3.0	+60	+107	+134	+85	+0.43	+3.5	+29	+1.6	-4.9	+73	+6.0	+0.8	-0.8	+0.1	+2.7	+0.33	+23	+0.64	+0.62	+0.80
Acc	93%	84%	99%	99%	98%	98%	98%	97%	93%	95%	97%	98%	73%	95%	93%	93%	93%	90%	93%	83%	97%	98%	98%	96%
Perc	Ω	23	68	29	15	17	23	76	15	QQ		69	16	30	- 55	32	60	6/	//1	61	12	1/1	2	5

Traits Observed: Genomics

Mating Type: ET

Number of Herds: 102, Prog Analysed: 1356, Genomic Prog: 905

Selection	n Indexes					
\$A	\$A-L					
\$256	\$406					
7	13					

LANDFALL SUMMIT S1944PV (HBR)

DOB: 27/08/2021

Genetic conditions: AMF, CAF, DDF, NHF, DWF, MAF, MHF

GARINGENUITY# HPCAINTENSITY#

VARDISCOVERY 2240PV DEER VALLEY RITA 0308#

GARPREDESTINED 287L#

DAM: TFAN829 LANDFALL ARCHER N829^{SV}

SIRE: NORL519 RENNYLEA L519PV TE MANIA BERKLEY B1PV

LANDFALL DIRECTION C23PA

AARTENX7008SASV

RENNYLEA H414SV RENNYLEA C310# LANDFALL ARCHER E179# LANDFALL ARCHER A296#



TACE									Augus	st 2025	Trans	Tasma	n Angu	s Cattl	e Evalı	ation								
	CEDir	CEDtrs	GL	BW	200	400	600	MCW	МВС	мсн	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	DOC	Claw	Angle	Leg
EBVs	+5.4	+4.6	-6.6	+3.0	+49	+103	+137	+114	+0.46	+6.8	+27	+2.2	-5.6	+70	+9.6	+2.0	+2.0	-0.1	+4.3	+0.62	+25	+0.60	+0.70	+0.84
Acc	75%	67%	97%	96%	95%	89%	89%	86%	81%	85%	80%	84%	57%	80%	77%	78%	78%	72%	79%	70%	93%	83%	83%	78%
Perc	27	37	20	29	63	2/	19	31	11	75	1	17	31	17	17	13	17	75	12	86	32	10	5	Q

Traits Observed: BWT,200WT,400WT,600WT,SC,Scan(EMA,Rib,Rump,IMF),DOC,Structure(Claw Set x 1, Foot Angle x 1),Genomics

Number of Herds: 23, Prog Analysed: 273, Genomic Prog: 229

Selection	n Indexes
\$A	\$A-L
\$241	\$415
16	10







REFERENCE SIRES

MILLAH MURRAH REMBRANDT R48^{PV} (HBR)

NMMR48

Mating Type: ET

Genetic conditions: AMF, CAF, DDF, NHF, DWF, MAF, MHF, OHF, OSF, RGI

EF COMPLEMENT 8088PV

EF COMMANDO 1366PV

MILLAH MURRAH KINGDOM K35PV

HINGAIA 469#

RIVERBEND YOUNG LUCY W1470

MILLAH MURRAH FLOWER G41PV

SIRE: NMMP15 MILLAH MURRAH PARATROOPER P15PV DAM: NMMN60 MILLAH MURRAH ABIGAIL N60PV

MILLAH MURRAH HIGHLANDER G18SV MILLAH MURRAH ELA M9PV

MILLAH MURRAH ELA K127SV

TEMANIA EMPEROR E343PV MILLAH MURRAH ABIGAIL H150sv

MILLAH MURRAH ABIGAIL D9sv

TACE									Augus	st 2025	Trans	Tasmaı	n Angu	ıs Cattl	e Evalu	ation								
To the same	CEDir	CEDtrs	GL	BW	200	400	600	MCW	MBC	МСН	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	DOC	Claw	Angle	Leg
EBVs	+2.9	+2.0	-7.1	+4.9	+54	+97	+124	+95	+0.32	+7.6	+14	+3.0	-5.0	+75	+8.2	+1.9	+2.4	+0.4	+1.7	+0.55	+36	+0.62	+0.70	+0.98
Acc	79%	72%	98%	98%	97%	97%	97%	92%	75%	77%	87%	96%	55%	84%	85%	85%	85%	79%	84%	71%	97%	93%	92%	89%
Perc	50	64	15	72	40	38	41	62	38	62	77	22	44	33	29	14	13	47	66	81	7	12	5	37

Traits Observed: BWT,200WT,400WT,SC,Scan(EMA,Rib,Rump,IMF),DOC,Genomics

Number of Herds: 88, Prog Analysed: 1292, Genomic Prog: 951

Selection	Indexes
\$A	\$A-L
\$229	\$377
26	32

MOOGENILLA QUINELLA Q33PV (HBR)

BWFQ33

Mating Type: Al

DOB: 08/07/2019

MYTTY IN FOCUS# CONNEALY IN SURE 8524#

ENTREENA OF CONANGA 657*

SIRE: USA18181757 G A R FAIL SAFEPV

GARPROGRESSSW GARPROGRESS 830# GAR111RITO3346#

BASIN FRANCHISE P142# EF COMPLEMENT 8088PV EF EVERELDA ENTENSE 6117#

DAM: BWFN9 MOOGENILLA N9sv

PA FULL POWER 1208PV

MOOGENILLA L4#

MOOGENILLA J39#



TACE		August 2025 TransTasman Angus Cattle Evaluation																						
Total Con-	CEDir	CEDtrs	GL	BW	200	400	600	MCW	МВС	МСН	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	DOC	Claw	Angle	Leg
EBVs	+3.7	+9.7	-6.3	+3.9	+60	+115	+145	+80	+0.00	+6.6	+28	+3.0	-3.7	+99	+9.2	-1.2	+0.2	-0.4	+4.9	+0.56	+32	+0.86	+0.90	+0.88
Acc	85%	73%	99%	99%	98%	98%	98%	95%	89%	90%	94%	98%	59%	91%	90%	89%	89%	82%	90%	83%	98%	98%	98%	96%
Perc	42	2	23	49	17	6	10	82	97	78	2	22	74	2	20	76	42	86	6	82	14	55	34	13

Traits Observed: GL.BWT.200WT.400WT.SC.Scan(EMA.Rib.Rump.IMF).Genomics

Number of Herds: 75, Prog Analysed: 2331, Genomic Prog: 1271

Selection	Indexes
\$A	\$A-L
\$277	\$426
2	6

PINE VIEW MOGUL G241PV (HBR)

USA19502726

Mating Type: Natural DOB: 28/01/2019

SUMMITCREST COMPLETE 1P55#

KM BROKEN BOW 002PV

SUMMITCREST PRINCESS 0P12#

Genetic conditions: AMF, CAF, DDF, NHF, DWF, MAF, MHF, OHF, OSF, RGF

Genetic conditions: AMF, CAF, DDF, NHF, DWF, MAF, MHF, OHF, OSF, RGI

HOOVER DAM#

BALDRIDGE XPAND X743#

BALDRIDGE QUEEN S87#

SIRE: USA17926446 SPRING COVE RENO 4021#

CCAEMBLAZON 702# SPRING COVE LIZA 021# SPRING COVE LIZA 721# DAM: USA18242619 BALDRIDGE ISABEL C773# STYLES UPGRADE J59#

> BALDRIDGE ISABEL Y69# BALDRIDGE ISABEL T935#

1	166	(ball		£Χ		89
		澳		HQ		
Λ	1			89		
76						
	1		440	100	100	200

TACE									Augus	st 2025	Trans	Tasmaı	n Angu	s Cattl	e Evalu	ation								
	CEDir	CEDtrs	GL	BW	200	400	600	MCW	МВС	МСН	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	DOC	Claw	Angle	Leg
EBVs	+5.0	+9.6	-2.7	+4.4	+68	+124	+151	+108	+0.20	+7.4	+26	+1.2	-3.5	+87	+13.3	-3.6	-3.2	+1.5	+1.2	-0.75	+12	+0.44	+0.70	+0.92
Acc	80%	59%	99%	98%	98%	97%	96%	88%	67%	71%	80%	96%	49%	83%	85%	83%	82%	76%	84%	70%	97%	95%	95%	91%
Porc	30	2	77	61	2	2	6	40	71	67	6	82	70	۵	2	08	٩n	- 5	79	1	Ω/1	2		21

Traits Observed: Genomics

Number of Herds: 90, Prog Analysed: 1206, Genomic Prog: 801

Selection	n Indexes
\$A	\$A-L
\$281	\$451
2	2

Top 10%



REFERENCE SIRES

RL JUSTICEPV (HBR)

USA19836564

DOB: 18/02/2020 Mating Type: Natural

GL

-5.3

92%

37

Genetic conditions: AMF, CAF, DDF, NHF, DWF, MAF, MHF, OHF, OSF,

CONNEALY CONSENSUS 7229SV CONNEALY JUDGMENT#

200

+55

91%

36

BARSTOW CASH# BARSTOW QUEEN W16#

MBC

64%

96

+0.02 +3.5

ENTRINE OF CONANGA 9876#

SIRE: USA17707279 KG JUSTIFIED 3023PV SITZ WISDOM 481T#

400

+108

91%

14

600

+126

90%

38

MCW

+69

86%

91

KG MISS MAGIC 1443# KG MISS MAGIC 3528#

BW

+1.4

93%

8

DAM: USA19239531 RL CASH LADY 8988#

CWT

+78

82%

25

August 2025 TransTasman Angus Cattle Evaluation

DTC

-49

43%

46

SS

+3.4

88%

13

SYDGEN MANDATE 6079# RL MANDATE LADY 2981#

SITZ DASH 10277#

7 Z LADY DELUXE 981#

EMA

+6.7

80%

46

+0.9

78%

30



21

68

64

Genetic conditions: AMF, CAF, DDF, NHF, DWF, MAF, MHF, OHF, OSF, RGF

Traits Observed: Genomics

+9.9

2

CEDir CEDtrs

+6.7

55%

17

TACE

EBVs

Acc

Perc

Number of Herds: 11, Prog Analysed: 103, Genomic Prog: 68

MCH

69%

99

Milk

+27

20%

3

Selection	n Indexes			
\$A	\$A-L			
\$255	\$401			
7	16			

USA20019500

15

21

14

TEHAMA TESTAMENTSV (HBR)

Mating Type: Natural DOB: 12/08/2020

HOOVER DAM#

SSNIAGARA Z29SV JETSSX144#

SIRE: USA18981191 TEHAMA PATRIARCH F028PV

CONNEALY THUNDER# TEHAMA ELITE BLACKBIRD D826#

TEHAMA ELITE BLACKBIRD Z630#

CONNEALY ONWARD#

P8

17

64

SITZ WISDOM 481T#

SITZELLUNA ELITE 94P#

DAM: USA18806472 TEHAMA MARY BLACKBIRD E789#

SAVFINAL ANSWER 0035# TEHAMA MARY BLACKBIRD Y677# TEHAMA MARY BLACKBIRD T073#



TACE									Augus	t 2025	Trans	Tasmaı	n Angu	ıs Cattl	e Evalı	ation								
	CEDir	CEDtrs	GL	BW	200	400	600	MCW	MBC	МСН	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	DOC	Claw	Angle	Leg
EBVs	+8.5	+3.4	-4.3	+2.1	+55	+98	+118	+76	+0.23	+7.3	+19	+5.1	-5.2	+61	+8.4	+1.4	+2.3	-0.3	+2.7	+0.77	+28	+0.72	+0.84	+0.90
Acc	83%	60%	98%	98%	97%	96%	96%	89%	66%	70%	82%	95%	48%	85%	86%	84%	82%	77%	86%	64%	96%	97%	97%	91%
Perc	7	50	53	15	36	37	56	86	63	68	35	1	39	72	27	21	14	83	41	93	24	26	21	17

Traits Observed: Genomics

Number of Herds: 46, Prog Analysed: 610, Genomic Prog: 462

Selection	Indexes			
\$A	\$A-L			
\$238	\$383			
18	27			

Genetic conditions: AMFU, CAFU, DDFU, NHFU

Mating Type: Al

THE ROCK PHOENIX R44PV (HBR)

DOB: 20/07/2020

CONNEALY IN SURE 8524# GARSURE FIRESV

CHAIR ROCK 5050 G A R 8086#

SIRE: USA18636106 G A R PHOENIXPV

GARPROPHETSV GARPROPHET N744# GARDAYBREAK 440#

PATHFINDER GENESIS G357PV PATHFINDER KOMPLETE K22^{SV}

PATHFINDER EQUATOR H756#

DAM: ATZP28 THE ROCK BLACKBIRD P28PV

AYRVALE GENERAL G18PV

THE ROCK K4PV

THE ROCK H26PV

TACE									Augus	t 2025	Trans	Tasmaı	n Angu	s Cattl	e Evalu	ation								
	CEDir	CEDtrs	GL	BW	200	400	600	MCW	MBC	МСН	Milk	SS	DTC	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	DOC	Claw	Angle	Leg
EBVs	+4.5	+2.9	-7.3	+2.7	+55	+99	+125	+86	+0.06	+9.7	+21	+4.5	-5.5	+80	+7.9	+0.9	+0.2	+0.9	+1.8	+0.14	+11	+0.54	+0.68	+0.66
Acc	72%	62%	83%	88%	87%	86%	86%	83%	77%	82%	78%	84%	51%	77%	75%	76%	76%	70%	78%	68%	78%	82%	82%	78%
Perc	35	56	13	24	33	35	41	75	93	24	23	3	33	21	32	30	42	20	64	40	84	6	4	1

Traits Observed: GL,BWT,200WT,400WT,SC,Scan(EMA,Rib,Rump,IMF),Structure(Claw Set x 1, Foot Angle x 1),Genomics

Number of Herds: 1, Prog Analysed: 19, Genomic Prog: 20

Selection	n Indexes
\$A	\$A-L
\$245	\$393
13	21







Understanding the

TransTasman Angus Cattle Evaluation (TACE)



What is the TransTasman Angus Cattle Evaluation?

The TransTasman Angus Cattle Evaluation is the genetic evaluation program adopted by Angus Australia for Angus and Angus influenced beef cattle. The TransTasman Angus Cattle Evaluation uses Best Linear Unbiased Prediction (BLUP) technology to produce Estimated Breeding Values (EBVs) of recorded cattle for a range of important production traits (e.g. weight, carcase, fertility).

The TransTasman Angus Cattle Evaluation is an international genetic evaluation and includes pedigree, performance and genomic information from the Angus Australia and Angus New Zealand databases, along with selected information from the American and Canadian Angus Associations.

The TransTasman Angus Cattle Evaluation utilises a range of genetic evaluation software, including the internationally recognised BLUPF90 family of programs, and BREEDPLAN® beef genetic evaluation analytical software, as developed by the Animal Genetics and Breeding Unit (AGBU), a joint institute of NSW Agriculture and the University of New England, and Meat and Livestock Australia Limited (MLA).

What is an EBV?

An animal's breeding value can be defined as its genetic merit for each trait. While it is not possible to determine an animal's true breeding value, it is possible to estimate it. These estimates of an animal's true breeding value are called EBVs (Estimated Breeding Values).

EBVs are expressed as the difference between an individual animal's genetics and a historical genetic level (i.e. group of animals) within the TACE genetic evaluation, and are reported in the units in which the measurements are taken.

Using EBVs to Compare the Cenetics of Two Animals

TACE EBVs can be used to estimate the expected difference in the genetics of two animals, with the expected difference equating to half the difference in the EBVs of the animals, all other things being equal (e.g. they are joined to the same animal/s).

For example, a bull with a 200 Day Growth EBV of +60 would be expected to produce progeny that are, on average, 10 kg heavier at 200 days of age than a bull with a 200 Day Growth EBV of +40 kg (i.e. 20

kg difference between the sire's EBVs, then halved as the sire only contributes half the genetics).

Or similarly, a bull with an IMF EBV of +3.0 would be expected to produce progeny with on average, 1% more intramuscular fat in a 400 kg carcase than a bull with a IMF EBV of +1.0 (i.e. 2% difference between the sire's EBVs, then halved as the sire only contributes half the genetics).

Using EBVs to Benchmark an Animal's Genetics with the Breed

EBVs can also be used to benchmark an animal's genetics relative to the genetics of other Angus or Angus infused animals recorded with Angus Australia.

To benchmark an animal's genetics relative to other Angus animals, an animal's EBV can be compared to the EBV reference tables, which provide:

- the breed average EBV
- the percentile bands table

The current breed average EBV is listed on the bottom of each page in this publication, while the current EBV reference tables are included at the end of these introductory notes.

For easy reference, the percentile band in which an animal's EBV ranks is also published in association with the EBV.

Considering Accuracy

An accuracy value is published with each EBV, and is usually displayed as a percentage value immediately below the EBV.

The accuracy value provides an indication of the reliability of the EBV in estimating the animal's genetics (or true breeding value), and is an indication of the amount of information that has been used in the calculation of the EBV.

EBVs with accuracy values below 50% should be considered as preliminary or of low accuracy, 50-74% as of medium accuracy, 75-90% of medium to high accuracy, and 90% or greater as high accuracy.

Description of TACE EBVs

EBVs are calculated for a range of traits within TACE, covering calving ease, growth, fertility, maternal performance, carcase merit, feed efficiency and structural soundness. A description of each EBV included in this publication is provided on the following page.

UNDERSTANDING ESTIMATED BREEDING VALUES (EBVS)

Æ	CEDir	%	Genetic differences in the ability of a sire's calves to be born unassisted from 2 year old heifers.	Higher EBVs indicate fewer calving difficulties in 2 year old heifers.
Calving Ease/Birth	CEDtrs	%	Genetic differences in the ability of a sire's daughters to calve unassisted at 2 years of age.	Higher EBVs indicate fewer calving difficulties in 2 year old heifers.
alving	GL	days	Genetic differences between animals in the length of time from the date of conception to the birth of the calf.	Lower EBVs indicate shorter gestation length.
J	BW	kg	Genetic differences between animals in calf weight at birth.	Lower EBVs indicate lighter birth weight.
	200 Day	kg	Genetic differences between animals in live weight at 200 days of age due to genetics for growth.	Higher EBVs indicate heavier live weight.
_	400 Day	kg	Genetic differences between animals in live weight at 400 days of age.	Higher EBVs indicate heavier live weight.
Growth	600 Day	kg	Genetic differences between animals in live weight at 600 days of age.	Higher EBVs indicate heavier live weight.
J	MCW	kg	Genetic differences between animals in live weight of cows at 5 years of age.	Higher EBVs indicate heavier mature weight.
	Milk	kg	Genetic differences between animals in live weight at 200 days of age due to the maternal contribution of its dam.	Higher EBVs indicate heavier live weight.
Fertility	DtC	days	Genetic differences between animals in the time from the start of the joining period (i.e. when the female is introduced to a bull) until subsequent calving.	Lower EBVs indicate shorter time to calving.
Fert	SS	cm	Genetic differences between animals in scrotal circumference at 400 days of age.	Higher EBVs indicate larger scrotal circumference.
	CWT	kg	Genetic differences between animals in hot standard carcase weight at 750 days of age.	Higher EBVs indicate heavier carcase weight.
	EMA	cm ²	Genetic differences between animals in eye muscle area at the $12/13$ th rib site in a 400 kg carcase.	Higher EBVs indicate larger eye muscle area.
Carcase	Rib Fat	mm	Genetic differences between animals in fat depth at the 12/13th rib site in a 400 kg carcase.	Higher EBVs indicate more fat.
Carc	P8 Fat	mm	Genetic differences between animals in fat depth at the P8 rump site in a 400 kg carcase.	Higher EBVs indicate more fat.
	RBY	%	Genetic differences between animals in boned out saleable meat from a 400 kg carcase.	Higher EBVs indicate higher yield.
	IMF	%	Genetic differences between animals in intramuscular fat (marbling) at the 12/13th rib site in a 400 kg carcase.	Higher EBVs indicate more intramuscular fat.
Feed/Temp.	NFI-F	kg/day	Genetic differences between animals in feed intake at a standard weight and rate of weight gain when animals are in a feedlot finishing phase.	Lower EBVs indicate more feed efficiency.
Feed/	Doc	%	Genetic differences between animals in temperament.	Higher EBVs indicate better temperament.
ā	Claw Set	score	Genetic differences in claw set structure (shape and evenness of claws).	Lower EBVs indicate a lower score.
Structure	Foot Angle	score	Genetic differences in foot angle (strength of pastern, depth of heel).	Lower EBVs indicate a lower score.
Š	Leg Angle	score	Genetic differences in rear leg structure when viewed from the side (angle at front of the hock).	Lower EBVs indicate a lower score.
ех	\$A	\$	Genetic differences between animals in net profitability per cow joined in a typical commercial self replacing herd using Angus bulls. This selection index is not specific to a particular market end-point, but identifies animals that will improve overall net profitability in the majority of commercial, self replacing, grass and grain finishing beef production systems.	Higher selection indexes indicate greater profitability.
Selection Index	\$A-L	\$	Genetic differences between animals in net profitability per cow joined in a typical commercial self replacing herd using Angus bulls. This selection index is not specific to a particular market end-point, but identifies animals that will improve overall net profitability in the majority of commercial, self replacing, grass and grain finishing beef production systems. The \$A-L index is similar to the \$A index but is modelled on a production system where feed is surplus to requirements for the majority of the year, or the cost of supplying additional feed when animal feed requirements increase is low. While the \$A aims to maintain mature cow weight, the \$A-L does not aim to limit the increase in mature cow weight as there is minimal cost incurred if the feed maintenance requirements of the female breeding herd increase as a result of selection decisions.	Higher selection indexes indicate greater profitability.

UNDERSTANDING ESTIMATED BREEDING VALUES (EBVS)

	\$D	\$ Genetic differences between animals in net profitability per cow joined in a commercial self replacing herd targeting the domestic supermarket trade. Steers are either finished using pasture, pasture supplemented by grain, or grain (e.g. 50 -70 days) with steers assumed to be slaughtered at 510kg live weight (280kg carcase weight with 12mm P8 fat depth) at 16 months of age.	Higher selection indexes indicate greater profitability.
	\$D-L	\$ Genetic differences between animals in net profitability per cow joined in a commercial self replacing herd targeting the domestic supermarket trade. Steers are either finished using pasture, pasture supplemented by grain, or grain (e.g. 50 -70 days) with steers assumed to be slaughtered at 510kg live weight (280kg carcase weight with 12mm P8 fat depth) at 16 months of age. The \$D-L index is similar to the \$D index but is modelled on a production system where feed is surplus to requirements for the majority of the year, or the cost of supplying additional feed when animal feed requirements increase is low. While the \$D aims to maintain mature cow weight, the \$D-L does not aim to limit the increase in mature cow weight as there is minimal cost incurred if the feed maintenance requirements of the female breeding herd increase as a result of selection decisions.	Higher selection indexes indicate greater profitability.
	\$GN	\$ Genetic differences between animals in net profitability per cow joined in a commercial self replacing herd targeting pasture grown steers with a 250 day feedlot finishing period for the grain fed high quality, highly marbled markets. Steers are assumed to be slaughtered at 800 kg live weight (455 kg carcase weight with 30 mm P8 fat depth) at 24 months of age, with a significant premium for steers that exhibit superior marbling.	Higher selection indexes indicate greater profitability.
Selection Indexes	\$GN-L	\$ Genetic differences between animals in net profitability per cow joined in a commercial self replacing herd targeting pasture grown steers with a 250 day feedlot finishing period for the grain fed high quality, highly marbled markets. Steers are assumed to be slaughtered at 800 kg live weight (455 kg carcase weight with 30 mm P8 fat depth) at 24 months of age, with a significant premium for steers that exhibit superior marbling. The \$GN-L index is similar to the \$GN index but is modelled on a production system where feed is surplus to requirements for the majority of the year, or the cost of supplying additional feed when animal feed requirements increase is low. While the \$GN aims to maintain mature cow weight, the \$GN-L does not aim to limit the increase in mature cow weight as there is minimal cost incurred if the feed maintenance requirements of the female breeding herd increase as a result of selection decisions.	Higher selection indexes indicate greater profitability.
	\$GS	\$ Genetic differences between animals in net profitability per cow joined in a commercial self replacing herd targeting pasture finished steers. Steers are assumed to be slaughtered at 650 kg live weight (350 kg carcase weight with 12 mm P8 fat depth) at 22 months of age. Emphasis has been placed on eating quality and tenderness to favour animals that are suited to MSA requirements.	Higher selection indexes indicate greater profitability.
	\$GS-L	\$ Genetic differences between animals in net profitability per cow joined in a commercial self replacing herd targeting pasture finished steers. Steers are assumed to be slaughtered at 650 kg live weight (350 kg carcase weight with 12 mm P8 fat depth) at 22 months of age. Emphasis has been placed on eating quality and tenderness to favour animals that are suited to MSA requirements. The \$GS-L index is similar to the \$GS index but is modelled on a production system where feed is surplus to requirements for the majority of the year, or the cost of supplying additional feed when animal feed requirements increase is low. While the \$GS aims to maintain mature cow weight, the \$GS-L does not aim to limit the increase in mature cow weight as there is minimal cost incurred if the feed maintenance requirements of the female breeding herd increase as a result of selection decisions.	Higher selection indexes indicate greater profitability.
	\$PRO	\$ Genetic differences between animals in net profitability per cow joined in a commercial self replacing herd based in New Zealand that targets the production of grass finished steers for the AngusPure programme. Steers are assumed marketed at approximately 530 kg live weight (290 kg carcase weight with 10 mm P8 fat depth) at 20 months of age, with a significant premium for steers that exhibit superior marbling.	Higher selection indexes indicate greater profitability.
	\$T	\$ Genetic difference between animals in net profitability per cow joined in a situation where Angus bulls are being used as a terminal sire over mature breeding females and all progeny, both male and female, are slaughtered. The Angus Terminal Sire Index focusses on increasing growth, carcase yield and eating quality. Daughters are not retained for breeding and therefore no emphasis is given to female fertility or maternal traits.	Higher selection indexes indicate greater profitability.

BRINGING YOUR NEW BULL HOME



When purchasing a bull, care and handling after the sale can be as important as the purchase itself. Looking after your bull well during the Initial stages of his working life may ensure longevity and success within your breeding herd.

Purchase

Temperament is an important characteristic when selecting a bull. Selecting a bull that may be flighty or aggressive will make life difficult for you each time he is handled.

Note which bulls continually push to the centre of a mob, run around, or are unreasonably nervous, aggressive or excited.

At the sale, note any changes of temperament by individual bulls. Some bulls that are quiet in the yard or paddock may not like the pressure and noise of the auction and become excited. Others that were excited beforehand get much worse in the sale ring and can really perform. Use the yard or paddock behaviour as a guide, rather than the temperament shown in the ring.

Delivery

When transporting your new bull insurance against loss in transit, accidental loss of use, or infertility, is sometimes provided by vendors. Where it is not, it is worth considering. After purchase tips:

- When purchasing, ask which health treatments he has received.
- Treat and handle him quietly at all times no dogs, no buzzers. Talk to him and give him time and room to make up his mind.
- With more than one bull from different origins, you must be able to separate them on the truck.
- Make sure that the truck floor is covered to prevent bulls from slipping. Sand, sawdust or a floor grid will prevent bulls from being damaged by going down in transit.
- If you can arrange it, put a few quiet cows or steers on the truck with the bull. Let them down into a yard with the bulls for a while before loading and after unloading.
- Unload and reload during the trip as little as possible. If necessary, rest with water and feed. Treat bulls kindly your impatience or nervousness is easily transmitted to an animal unfamiliar to you and unsure of his environment.

If you use a professional carrier:

· Make sure the carrier knows which bulls can be mixed together.

- Discuss with the carrier, resting procedures for long trips, expected delivery time, truck condition and quiet handling.
- · Give ear tag and brand numbers to the carrier and make sure you have the carrier's phone number.
- If buying bulls from interstate, organise any necessary health tests before leaving and work out if any other requirements must be met before cattle can come into another State.

When buying bulls from far away, you may often have to fit in with other delivery arrangements to reduce cost. You should make it clear how you want your bulls handled.

Arrival

When the bull or bulls arrive home, unload them at the yards into a group of house cows, steers or herd cows. Never jump them from the back of a truck directly into a paddock—it may be the last time you see them. Bulls from different origins should be put into separate yards with other cattle for company.


Provide hav and water, then leave them alone until the next morning.

The next day, bulls should receive routine health treatments. If they have not been treated before, all bulls should be vaccinated with:

- 5-in-1 vaccine;
- · vibriosis vaccine;
- leptospirosis vaccine (if in areas like the Hunter where leptospirosis exists);
- three-day sickness vaccine (if in areas where this sickness can cause problems).

Give particular attention to preventing new bulls bringing vibriosis into a herd. Vibriosis, a sexually transmitted disease, causes infertility and abortions and is most commonly introduced to a clean herd by an infected bull.

These bulls show no signs of the illness. Vaccinated bulls are free from vibriosis, so vaccinating bulls against the disease should be a routine practice. Vaccination involves two injections, 4-6 weeks apart, at the time of introduction, and then a booster shot every year. Complete the vaccinations 4 weeks before joining.





BRINGING YOUR NEW BULL HOME



Consult with your veterinarian and draw up a policy for treating bulls on arrival and then annually. Bulls should be drenched to prevent introducing worms and, if necessary, should be treated for lice. Plan to give followup vaccinations 4-6 weeks later. Leave the bulls in the yards for the next day or two on feed and water to allow them to settle down with other stock for company. A bull's behaviour will decide how quickly he can be moved out to paddocks.

Mating new young bulls

Newly purchased young bulls should not be placed with older herd bulls for multiple-sire joining. The older, dominant bull will not allow the young bulls to work, and will knock them around while keeping them away from the cows. Use new bulls in either single-sire groups or with young bulls their own age. If a number of young bulls are to be used together, run them together for a few weeks before joining starts. They sort out their pecking order quickly and have few problems later. When the young bulls are working, inspect them regularly and closely.

Managing Older Herd Bulls

Older working bulls also need special care and attention before mating starts. They should be tested or checked every year for physical soundness, testicle tone, and serving capacity or ability. All bulls to be used must be freemoving, active and in good condition. Working bulls may need supplementary feeding before the joining season to bring up condition.

During mating

- Check bulls at least twice each week for the first 2 months. Get up close to them and watch each bull walk; check for swellings around the sheath and for lameness.
- · Have a spare bull or bulls available to replace any that break down. Replace any suspect bull immediately.
- · Rotate bulls in single-sire groups to make sure that any bull infertility is covered. Single-sire joining works well but it has risks. The bulls must be checked regularly and carefully, or the bulls should be rotated every one or two cycles.

Bulls are a large investment for breeding herds and they have a major effect on herd fertility. A little time and attention to make sure they are fit, free from disease and actively working is well worthwhile.

Northern Australia

Although the Angus breed originated in a cooler climate, they can adapt to subtropical regions with many straightbred and cross bred producers finding success in Northern Australia. Some of the following information may also be helpful for new bulls located in more temperate climates.

Adaptation

They key to Northern success for Angus is that cattle introduced from the Southern regions of Australia be allowed to adapt to their new environment before commencing their working life. If possible, a break of 3 months is advisable before you set your bull to work.

Purchase in cooler months

Ensure your bulls are in good condition before they do commence their working life. The cooler months are an ideal time to purchase and introduce Angus cattle. allowing them plenty of time to acclimatise.

Change of feed source

When inducting Angus cattle into your herd consider their source of feed. Have you taken an animal which has been supplemented on grain straight to a dry pasture? Animals should be gradually changed over to their new feed to ensure they do not lose condition. This may involve using supplements which could include dry lick/urea blocks.

Managing Cattle Ticks

For ticky areas, bulls should be vaccinated prior to transport and given another booster afterwards. Remember male are more susceptible to ticks than females.

*Information is provided by the Department of Primary Industries NSW. For further information visit www.dpi.nsw.gov.au or www.angusaustralia.com.au.

FOR MORE INFORMATION ON GUIDELINES FOR THE RELOCATION & **ONGOING MANAGEMENT OF ANGUS BULLS.**







Recessive Cenetic **Conditions**



This is information for bull buyers about the recessive genetic conditions, Arthrogryposis Multiplex (AM), Hydrocephalus (NH), Contractural Arachnodactyly (CA) and Developmental Duplications (DD).

Putting undesirable Genetic Recessive Conditions in perspective

All animals, including humans, carry single copies (alleles) of undesirable or "broken" genes. In single copy form, these undesirable alleles usually cause no harm to the individual.

But when animals carry 2 copies of certain undesirable or "broken" alleles it often results in bad consequences. Advances in genomics have facilitated the development of accurate diagnostic tests to enable the identification and management of numerous undesirable or "broken" genes.

Angus Australia is proactive in providing its members and their clients with relevant tools and information to assist them in the management of known undesirable genes and our members are leading the industry in their use of this technology.

What are AM, NH, CA and DD?

AM, NH, CA and DD are all recessive conditions caused by "broken" alleles within the DNA of individual animals. When a calf inherits 2 copies of the AM or NH alleles their development is so adversely affected that they will be stillborn.

In other cases, such as CA and DD, calves carrying 2 copies of the broken allele may reach full-term. In such cases the animal may either appear relatively normal, or show physical symptoms that affect their health and/or performance.

What happens when carriers are mated to other animals?

Carriers, will on average, pass the undesirable allele to a random half (50 %) of their progeny.

When a carrier bull and carrier cow is mated, there is a 25% chance that the resultant calf will inherit two normal alleles, a 50% chance that the mating will result in a carrier (i.e. with just 1 copy of the undesirable allele, and a 25% chance that the calf will inherit two copies of the undesirable gene.

If animals tested free of the undesirable gene are mated to carrier animals the condition will not be expressed at all. All calves will appear normal, but approximately half (50%) could be expected to be carriers.

How is the genetic status of animals reported?

DNA-based diagnostic tests have been developed which

can be used to determine whether an individual animal is either a carrier or free of the alleles resulting in AM, NH, CA or DD.

Angus Australia uses advanced software to calculate the probability of (untested) animals to being carriers of AM, NH, CA or DD. The software uses the test results of any relatives in the calculations and the probabilities may change as new results for additional animals become available.

The genetic status of animals is being reported using five categories:

AMF	Tested AM free				
AMFU	Based on Pedigree AM free - Animal has not been tested				
AM_%	%% probability the animal is an AM carrier				
AMC	Tested AM-Carrier				
AMA	AM-Affected				

For NH, CA and DD, simply replace AM in the above table with NH, CA or DD.

Registration certificates and the Angus Australia webdatabase display these codes. This information is displayed on the animal details page and can be accessed by conducting an "Database Search" from the Angus Australia website or looking up individual animals listed in a sale catalogue.

Implications for Commercial Producers

Your decision on the importance of the genetic condition status of replacement bulls should depend on the genetics of your cow herd (which bulls you previously used) and whether some female progeny will be retained or sold as breeders.

Most Angus breeders are proactive and transparent in managing known genetic conditions, endeavouring to provide the best information available. The greatest risk to the commercial sector from undesirable genetic recessive conditions comes from unregistered bulls with unknown genetic background. The genetic condition testing that Angus Australia seedstock producers are investing in provides buyers of registered Angus bulls with unmatched quality assurance.

For further information contact Angus Australia (02) 6773 4600.





Angus Australia

Disclaimer and Privacy Information



Attention Buyer

Animal details included in this catalogue, including but not limited to pedigree, DNA information, Estimated Breeding Values (EBVs) and Index values, are based on information provided by the breeder or owner of the animal. Whilst all reasonable care has been taken to ensure that the information provided in this catalogue was correct at the time of publication, Angus Australia will assume no responsibility for the accuracy or completeness of the information, nor for the outcome (including consequential loss) of any action taken based on this information.

Parent Verification Suffixes

The animals listed within this catalogue including its pedigree, are displaying a Parent Verification Suffix which indicates the DNA parent verification status that has been conducted on the animal. The Parent Verification Suffixes that will appear at the end of each animal's name.

The suffix displayed at the end of each animal's name indicates the DNA parentage verification that has been conducted by Angus Australia.

PV: both parents have been verified by DNA.

SV: the sire has been verified by DNA.

DV: the dam has been verified by DNA.

#: DNA verification has not been conducted.

DNA verification has identified that the sire and/or dam may possibly be incorrect, but this cannot be confirmed conclusively.

Privacy Information

In order for Angus Australia to process the transfer of a registered animal in this catalogue, the vendor will need to provide certain information to Angus Australia and the buyer consents to the collection and disclosure of that information by Angus Australia in certain circumstances. If the buyer does not wish for his or her information to be stored and disclosed by Angus Australia, the buyer must complete the form included below and forward it to Angus Australia. If the form is not completed, the buyer will be taken to have consented to the disclosure of such information.

Buyers option to opt out of disclosing personal information to Angus Australia

If you do not complete this form, you will be taken to have consented to Angus Australia using your name, address and phone number for the purposes of effecting a change of registration of the animal(s) that you have purchased, maintaining

its database and disclosing that info	ormation to its members on its v	website.						
I, the buyer of animals with the following idents								
from member		(name) do not consent to Angus Australia						
<i>5</i> ,		effecting a change of registration of the animals I have ase and disclosing that information to its members on						
Authorised Name:	Signature:							
Date:								
Please forward this completed cons	sent form to Angus Australia, 86	Glen Innes Road, Armidale NSW 2350						






BUYERS' INSTRUCTION SLIP

PURCH	ASER'S DETAI	LS		
Name:				
Address	:			
Telephor	ne:		P.I.C	
Email:				Not
Signatur	e:			Note to all purchasers: Please complete all fields of this form and hand it to the registration staff at the conclusion of the sale
□Р	lease send acco	ounts directly to me OR		and have form
□ A	gent:			registration
				conclusion at the
DELIVE	RY INSTRUCTI	ONS		of the sale
Lots pur	chased:			
Insuranc	:e:			
Special i	nstructions:			
REGIST	RATION TRAN	SFER DETAILS		
=		Angus Society of Austr re form overleaf).	ralia's registration of	f your bull transferred into your
	□ No	☐ Yes	Society ID N	lo.:
ACCO!!	NT CETTI EMP	NT		
	NT SETTLEME	gent is required if you el	lact to eattle through	a an Agent
_	· · · · · · · · · · · · · · · · · · ·		_	_
Agent: _			Signature:	





TR THE ROCK ANGUS

